

**Opening on 17 NOV, 2017**  
**ARF/1169/PC-058/LOG DATED 02-11-2017**

<b>Organization Name</b>	Pakistan Aeronautical Complex
<b>Address</b>	AIRCRAFT REBUILD FACTORY PAC
<b>City</b>	Kamra
<b>Tel No.</b>	051-90992442
<b>Terms &amp; Conditions</b>	<p>1. Quotations will be opened on <b>17 November, 2017 at 11:00 Hrs</b> by the committee in the presence of the interested bidders, or their authorized representatives.</p> <p>2. <b>Quotation must be typed. Hand written / Conditional quotation will not be accepted.</b></p> <p>3. Separate sealed technical quotes and Commercial quotes both in duplicate must be deposited in 2 separate envelopes. Rates should be quoted both in words and figures clearly with unit price.</p> <p>4. All quotations (<b>Category wise</b>) must be put in separate sealed envelope. There should be no mixing of rates and quotations (Technical quotations with Commercial quotations). More than one quotation in one envelop will be rejected.</p> <p>5. Income tax, sales tax and professional tax certificates duly attested by the concerned authority must be attached with quotations.</p> <p>6. <b>All the rates must be valid till 30 June, 2018 otherwise quotation will not be entertained.</b> Taxes will be imposed as per GOVT: policy and directive issued from time to time.</p> <p>7. <b>All chemicals should be provided with COC (Certificate of Conformance), MSDS (Material Safety Data Sheet) and TDS (Technical Data Sheet) and life of minimum 02 Years.</b></p> <p>8. The bidder must have a branch office with valid Telephone and fax facility.</p> <p>9. Sample where applicable has to be provided by the firm for technical vetting.</p> <p>10. Category wise list is available in the office of O i/c Local Purchase and can be collected during working days from 0900-1200 hours.</p> <p>11. The quantities are estimated and may increase/decrease with respect to the requirements.</p> <p>12. The procuring agency may reject all bids/proposals or bid/proposal pertaining to a specific supplier at any time prior to tender opening. The procuring agency upon request of supplier / Vendor / Contractor will communicate the reason for rejection of quotations.</p> <p>13. Payment on delivery will be made through cheque against sales tax invoice only.</p> <p>14. Tenders are to be addressed to <b>Director Logistics, Aircraft Rebuild Factory PAC Kamra</b>. The quoted prices must be <b>without GST</b> and envelope must be marked with <b>“TENDER FOR PROCURMENT of “Category-1, Category-2, Category-3, Category-4, Category-5, Category-6, Category-7, Category-8, Category-9 and Category-10.</b> Tenders received through fax shall not be accepted.</p> <p>15. <b>Firms not registered with PAC Board</b> shall deposit <b>5% earnest money</b> along with the quotation.</p> <p>16. Delivery must be made as per quotation after receipt of purchase order.</p>
<b>Closing Time</b>	10:30:00 AM
<b>Opening Time</b>	11:00:00 AM
<b>Bid Validity</b>	30/06/2018
<b>Remarks</b>	ARF PAC KAMRA

Open  
Tender

S. NO	PART NO	NOUN	U/I	QTY
<b>CATEGORY-01 MIRAGE AME</b>				
1	81-42416	TRESTON WORK BENCH (IMPORTED)	EA	07
<b>CATEGORY-02 ELECTRICAL SHOP</b>				
1	MP-LTH-6-1-PPCB	POWER PCB	EA	04
2	MP-LTH-6-1-CPCB	CONTROL PCB	EA	04
<b>CATEGORY-03 CANOPY SHOP</b>				
1	601.10.1011	ULTRASONIC THICANESS TESTER+PROBE 8MHZ	EA	01
2	80-450-1	POLYSTER FIBER TAPE	MTR	60
3	3-S6X1600X1450	PLEXY GLASS SHEET	EA	49
4	60-450-1	POLYESTER FIBRIC TAPE	MTR	190
<b>CATEGORY-04 FWO FLT</b>				
1	3433-68-900-0018	BUSH CUTTER	EA	04
<b>CATEGORY-05 HEAT AND SURFACE REATMENT SHOP</b>				
1	9525-68-900-0065	TITANIUM WIRE DIA 0.8MM	KG	25
2	6625-68-900-0141	CURRENT DENSITY METER	EA	02
<b>CATEGORY-06 RUBBER &amp; POLYMER CoE</b>				
1	1.7601.0220.135.001	RUBBER SEAL IL78 A/C WINDOW GLASS	EA	02
2	1.7601.0220.135.002	RUBBER SEAL IL78 A/C WINDOW GLASS	EA	02
3	1.7601.0220.145.001	RUBBER SEAL IL78 A/C WINDOW GLASS	EA	02
4	1.7601.0220.145.002	RUBBER SEAL IL78 A/C WINDOW GLASS	EA	02
<b>CATEGORY-07 ELECTRICAL SHOP</b>				
1	5330-68-900-0270	ACRYLIC SHEET (6X4)X1"	EA	01
<b>CATEGORY-08 HARNESS SHOP</b>				
1	2PX18K4Q5	PLUG	EA	02
<b>CATEGORY-09 AVIATION DESIGN INSTITUTE</b>				
1	SV-52	DYNO SERVO	EA	04
2	CRS43-02	GYROSCOPE	EA	03
3	CRS09-12	GYROSCOPE	EA	04

**Open  
Tender**

S. NO	PART NO	NOUN	U/I	QTY
<b>CATEGORY-10 JF-17 MRO</b>				
1	SNZ23-19/27B-6-B	PLUG	EA	06
2	PC-104	SHOP RAGS	KG	1
3	M39029/16-167	CONTACT ELECTRICAL	EA	100
4	M39029/75-416	COXIAL PIN	EA	30
5	M39029/58-365	PIN	EA	250
6	JY23467T15F35PN	PLUG	EA	5
7	M39029/56-351	Contacts	EA	500
8	M39029/96-529	TRIAxIAL PIN	EA	20
9	JY27467T25B24S	PLUG	EA	5
10	M39029/26-211	COXIAL PIN	EA	20
11	M39029/56-353	PIN	EA	200
12	M39029/57-358	Contacts	EA	200
13	M39029/58-360	CONTACT ELETRICAL	EA	500
14	D38999/20WJ20SN	CONNECTOR	EA	2
15	M39029/77-428	COAXIAL HOLE	EA	30
16	M39029/59-366	PIN	EA	10
17	M39029/56-348	Contacts	EA	500
18	M39029/91-530	COXIAL	EA	30
19	P2K3P	PLUG	EA	10
20	M39029/102-558	COAXIAL PIN	EA	20
21	XK14YK6ZE	PLUG	EA	3
22	M39029/103-559	COAXIAL PIN	EA	30
23	JY27467T17B35SN	CONNECTOR	EA	10
24	M39029/102-558	COAXIAL PIN	EA	20
25	D38999/20WH35SN	SOCKET	EA	2
26	MS27467T25B43S	SOCKET	EA	10
27	D38999/20WJ20SN	CONNECTOR	EA	6
28	M39029/91-530	COXIAL	EA	30

S. NO	PART NO	NOUN	U/I	QTY
29	MS27467T25B61S	SOCKET	EA	10
30	MS27467T21B35SA	CONNECTOR	EA	2
31	M39029/103-559	COAXIAL PIN	EA	20

**SPECIFICATION OF "ULTRASONIC THICKNESS TESTER+PROBE 8MHZ"**

**CAT-03:**

*CAT-3 copy shop.*  
**ULTRASONIC THICKNESS GAUGE**  
**TECHNICAL SPECIFICATIONS**

S NO	DESCRIPTION	REQUIRED SPECIFICATION
1	Origin	European
2	Utilization	For measuring wall thickness of acrylic sheets and Plexiglass
3	Measuring Range	2mm to 50mm
4	Type	Portable
5	Display	Digital
6	Screen size	3 to 4 inches
7	Language	English
8	Connectivity	USB to PC
9	Warranty	1 to 2 years
10	Measurement Modes	Plastics
11	Measurement Rate	4 to 16 Hz
12	Measurement Accuracy	$\pm 0.05$ mm to $\pm 0.1$ mm
13	Measurement units	Millimeters
14	Display modes	Reading and selected statistics including minimum thickness, maximum thickness, average thickness, number of readings
15	Calibration Options	Material selection
16	Transducer Probe type	Single probe
17	Battery type and life	2x AA Rechargeable and 15 to 20 hours
18	Operating Temperatures	10 degree to 50 degree centigrade
19	Carrying Case	Yes
20	Coupling Gel	Yes
21	Other features	Waterproof and dust resistant

