

**GOVERNMENT OF PAKISTAN
AVIONICS PRODUCTION FACTORY (APF) PAC KAMRA**

TERMS AND CONDITIONS

OPEN TENDER

1. Sealed tenders are invited from only those sales tax registered suppliers who are on Active Taxpayers List (ATL) of FBR, for purchase of the following items on "FOR" Kamra basis.
2. Separate quotations in separate envelopes (Technical & Commercial) for under mentioned items, are to be submitted;-

S No	Tender Reference	Part No	Noun	Specification	UI	Qty	Tender opening date and Time
(a)	APF/786-A/1921/13/L P/PC-09	7010PK00 01510 or Equivalent	Workstation	Chassis: Micro Tower, Processor Inter® core i5 6500, 3.2 GHZ, 6M CACHE, Generation 6th, Chipset: Intel Q170, Type: Elite 800 Series, RAM 4GB DDR4, Hard DISK 500GB SATA, Audio/Graphics : Built-in, Optical Drive: DVD/RW Network Adopter: Built in, Keyboard, mouse and with 08 GB Graphic card NVIDIA.	Ea	01	20-09-2018 at 1200 Hrs
(b)		6350/PK-000-1270 or Equivalent	Walkthrough Gate	Attached with tender	Ea	01	
(c)		ETHG-8C12F or Equivalent	Aggregation 12 Port POE 12 SFP Network Switch Along With SFP Modules	12 Port Fiber Aggregation Switch Have 12SFP Ports including 12 SFP Modules and power supply ETC	Ea	01	

3. **Delivery of Tender**

(a) **Technical Offer:**

Technical offer should be without prices and containing all relevant/essential specification along with literature / brochure. Tender/Part Case number, date of opening and word (Technical offer) should be clearly marked on the face of envelope.

(b) **Commercial Offer:**

Commercial offer should indicate price of quoted item and confirmation to the term and conditions of our tender inquiry. Tender/Part Case number and words "Commercial offer" be marked on the face of envelope.

(c) **Bid Money/Earnest Money:**

The participating firms will provide **5% earnest money** of the quoted value (**with commercial offer**) through bank draft in favor of MD APF PAC Kamra.

Both the envelopes of **Technical and Commercial** offers should be enclosed in one cover properly sealed and bear the following address of this office with tender number and opening date.

Managing Director,
Avionics Production Factory
Pakistan Aeronautical Complex,
Kamra - Distt. Attock

4. **Opening of Tender**

The quotations must be in original and are to reach at this factory on **1130 hrs on 20 September, 2018**. All quotations are to be dropped in the office of **Dy Dir Log (JF-17) APF, PAC Kamra Attock**. No quotation will be accepted in photocopy, through fax and after due date and time. Tender will be opened on **20 September, 2018** at **1200 Hrs** in the presence of available representatives. We reserve the right to cancel or reject all bids / proposals at any time prior to acceptance as per PPRA rules.

5. **Pattern of Quoted Prices**

The quoted Prices are to be inclusive of all taxes levied by the Government and these should be in accordance with the current Local market / International prices as per following format:-

Item S.No	Part No	Noun	U/I	Qty	Unit Price			Total Price with GST
					With out GST	GST	Price with GST	

6. **Validity of offer**

The quotation should be valid for 120 days after opening.

7. **Delivery Period**

Store is required within minimum possible delivery period. Offer with minimum delivery period are likely to be preferred. However, the delivery period should be factual, as no subsequent extension will be granted except under extreme un-avoidable circumstances.

8. **Country of Manufacturer**

Country / place of manufacture of store is to be provided along with Technical / Commercial offer.

9. **Release of Payment**

Payment will be released by Accounts department APF on submission of proper bill / sales Tax invoice, copies of GST registration / Professional Tax certificates of Punjab province, proof of Active Taxpayers List (ATL) of FBR and Sales Tax Return.

10. **Acceptance of Stores**

The ordered store will be accepted as per attached terms and conditions. The store if rejected or found defective within one year from the day of delivery / commissioning will be replaced by the supplier free of charge.

11. **Disqualification of Bid**

Offers are liable to be rejected if:-

- (a) There is a deviation from any instruction of the tender.
- (b) Offers are found conditional or incomplete in any respect.
- (c) Multiple rates are quoted against one item or overwriting / erasing in prices.
- (d) Non-provisioning of earnest money with commercial offer, and confirmation to this effect be mentioned in Tech offer without mentioning the amount.

Yours Faithfully,

Sdxxx
(NASAR HAYAT)
Wing Commander
For Managing Director
APF, PAC Kamra
Tele No : 051-90996286

Dated 20-09-2018

APF/LG-07

**TERMS AND CONDITIONS FOR
TENDER INQUIRY NO APF/786-A1921/13/LP/PC-09**

- a. Item to be delivered at APF on “FOR” Kamra basis.
- b. Supplier will be made responsible for warranty/guarantee of item.
- c. Prices and part catalogue be provided free of cost.
- d. Item should be factory new and from current year’s production.
- e. Item will be inspected by concerned user/quality control APF.
- f. All technical publication (wherever applicable) to be provided free of cost.
- g. Indented item must have 01 year complete warranty. Original Warranty Card from OEM must be available inside the packing.
- h. Item would only be acceptable exactly against purchase order part number, no in lieu would be acceptable on delivery without prior technically acceptance of user.
- i. Installation / commissioning for item (if required) will be carried out by the supplier.

SPECIFICATIONS OF WALK THROUGH GATE

APF/786-A/1921/13/LP/PC-09

Key Features

- 33 Pinpoint Zones
- More than 20 Standards Programs
- International Security Standards
- Dual-Sided Detection
- Advanced Broadband Detection Technology
- Directional Counter
- Superior Versatility
- Networking Ability
- Meets IP55 Standards
- Limited 24-month warranty
- Pacing Lights
- Advanced Networking (Optional)
- Tamper-proof
- Easy Assembly
- Digital Signal Processor (DSP) Based Technology

SPECIFICATIONS	
Standard Programs	Over 20 application programs included
Sensitivity	Up to 200 distinct sensitivity levels
Zone Indications	33 independent zones
Meets IP55 Standards	For moisture, foreign matter protection
Overhead Control Unit	All electronics---LCD, alarm light LED bar graph, control touch pads---integrated to eliminate wire exposure.
Tamper-Proof Settings	Three access levels of security clearance
Self Diagnostic Program	Complete and automatic
Zone Sensitivity Boos	Adjustable in six areas
Battery Pack (optional)	10-hour or 30-hour backup available
Warranty	24 months, limited Parts / Labor
Passageway interior Size	Width 30" (0.76 m) Height 80" (2.03 m) Depth 23" (0.58 m)
Overall Exterior Size	Width 35" (0.90 m) Height 87" (2.21 m) Depth 23" (0.58 m)
Shipping Size	Width 35.5" (0.90 m) Height 91.5" (2.32 m) Depth 6.25" (.16 m)
Shipping Weight	165 lbs (74 kg)
Temperatures	Operating : -4 F (-20 C) to +122 F (50 C) Humidity to 95% non-condensing Storage: -40 F (-40 C) to 158 F (70 C)
Power	Fully automatic 100 to 240 VAC, 50 or 60 Hertz, 45 watts; no rewiring, switching or adjustments needed.
Regulatory Information	Meets TSA requirements for U.S airports, ECAS, STAC, AENA, CJIAC and DFT for international airports, Meets Electrical Safety and Compatibility Requirements for CE, FCC, CSA, IES, ICNIRP and IEEE.

Weatherproofing	Meets IP55, IEC Standards. "Degrees of Protection provided by Enclosures," IEC 529. *IP 65 optional.
Construction	Attractive scratch and mar-resistant laminate. Detection Heads and Support: heavy duty aluminum.
Control Outputs	Solid state switches (low voltage AC or DC) for operating external alarms and control devices.
Remote Control (optional)	Desktop Remote Control with Zone Indication and/or via network with CMA Interface Module.
Networking (optional)	Manage individual or groups of walkthroughs and perform statistical analysis of throughout.
Alarm Indicators/Random Alarm Feature	33 zones, volume-adjustable audible tone, bright LED visual and remote alarms. Random alarm features; adjustable from 0 to 50 percent.