

PLEASE READ CAREFULLY

- ❖ Participating bidder is required to submit bid according to instructions mentioned in bidding documents. These bid should meet the requirements / criteria illustrated in bidding documents along with fulfillment of other terms and conditions of tenders.
- ❖ According to PPRA rule 31 no bidder is allowed to alter or modify his bid after the bids have been opened. Moreover, as per rule 36 (vi) no amendment in the technical proposal is permitted during technical evaluation. Therefore in the light of prevailing Govt procedures, requests for amendments in quotations and clarifications leading to change of substance of bid after opening of bids cannot be accepted and bids not conforming to tender requirements are liable to be rejected.
- ❖ Participating bidder is therefore requested to read the bidding documents thoroughly and submit their quotes accordingly without any condition in conformance to all tender requirements including DP, Bid validity, provisioning of original quotation from foreign principal, 10% BG confirmation etc for consideration of bid. Bids found non-conforming to tender requirements are liable to be rejected on tender opening date.



**GOVERNMENT OF PAKISTAN
MINISTRY OF DEFENCE PRODUCTION
PAKISTAN AERONAUTICAL COMPLEX BOARD KAMRA**

INVITATION TO TENDER AND GENERAL INSTRUCTIONS TO BIDDERS
(SINGLE STAGE TWO ENVOPL E BASIS)
(F O B)

Tender No PACB/786-A/17230015/0341/P-4
Directorate of Central Procurement
Pakistan Aeronautical Complex Board
Kamra Distt. Attock
Tel: +92-051-90990-2543, 2244
Fax: +92 (057) 9317491
Email: adcp@pac.org.pk
01 January, 2018

PPRA & PAC Websites

Dear Sir,

1. I invite you to tender for supply of store / services details in the attached **Schedule to Tender** (Form PACB -002A)
2. **CONDITION GOVERNING CONTRACTS.** The “Contract” made as a result of this Tender Inquiry shall mean the agreement entered in to between the parties i.e. the “Purchaser” and the “Seller” on PACB Contract Form (PACB – 003) in accordance with the law of contract Act, 1872 and those contained in PAC purchase procedures and other special conditions that may be added to given contract for the supply of PAC stores specified therein.
3. **DELIVERY OF TENDER. (SINGLE STAGE TWO ENVOPL E BASIS)**
 - (a) **Technical Offer:** It shall contain all relevant specifications along with essential literature / brochure in duplicate in a separate envelope and clearly marked “**Technical Offer without prices**”, tender number and date of opening.
 - (b) **Commercial Offer:** It shall indicate prices quoted in figures as well as in words and clearly marked on face of a separate envelope “**Commercial Offer with prices**”, tender number and date of opening.

(c) Both the “**Envelops**” of Technical and Commercial offers should be enclosed in one cover, properly sealed and bear the address of Directorate of Central Procurement (DCP) PACB Kamra with tender number and opening date. **Bid Security shall be sealed in an envelope separate from technical and financial bids.**

4. **FORM PACB - 002A & PACB - 002B:** Form **PACB - 002A & PACB - 002B (Annexure D & E)** duly filled-in are to be returned with the offer duly signed by the authorized signatory person of bidding firm.

5. **SINGLE/MULTIPLE OFFERS:** Only one offer can be made in relevant currency for same item. Multiple rates, if quoted, will be rejected. Multiple quotation against the tender will also be rejected.

6. **DATE & TIME FOR RECEIPT OF TENDER:** The tender must reach DCP PACB Kamra by the date and time specified in the **Schedule to Tender** (PACB – 002A attached). Tenders received after the prescribed date and time will, NOT be entertained. The appointed time will, however fall on next working day in case of closed/forced holiday. Telegraphed / Faxed / Telexed bids will be rejected unless specifically asked for. Tender can also be sent through courier however you are required to intimate this office (DCP) regarding dispatch of quotation through courier giving details of the courier through fax so that courier service may be tracked to ensure your participation in the Tender. In case tender is despatched by courier then same should reach DCP, PAC Board at least 01 day prior to tender opening date. You or your representative may also attend the proceeding (Name / Designation of attendees' along with copy of CNIC will be required 03 days prior to tender opening date for arranging their entry).

7. **DELIVERY PERIOD:** Stores are required of within minimum possible delivery period but **not later than 03 month from signing the contract.** Offers with minimum delivery period are likely to be preferred. However delivery period is to be factual as no extension will be subsequently granted except under unavoidable circumstances beyond control of SELLER or under Force Majeure for which intimation with full justification / evidences is to be dispatched well in advance for consideration.

8. **RIGHTS RESERVED:** PAC Board Kamra reserves the right to accept or reject any tender and to annul the tendering process and reject all tenders at any time prior to contract award as per rule 33 of PPRA rules 2004 without thereby incurring any liability to the affected Bidder. Moreover, past performance of the firms may also be considered.

9. **ADDITION AND DELETION OF STORE:** The purchaser has the right to increase or decrease the quantity of any item and cancellation of the contract partially or fully without any financial repercussion on either side without assigning any reason within 30 days of signing the contract. Such information will be passed on to the supplier / seller through the fastest means e.g. telephone, telegram or fax etc.

10. **VALIDITY OF QUOTATION:** The quotation be valid till **30 June, 2018.**

11. **TECHNICAL LITERATURE, SPECIFICATIONS AND INTERCHANGEABILITY:**

Offers are to be submitted in duplicate supported by brochures and technical literature in original. Offers must conform to tender specifications. A certificate of complete interchangeability must be endorsed on the quotation for all substitute or in-lieu items, otherwise the same are likely to be rejected. A copy of relevant page of publication must be

attached to prove correctness of offered / interchangeable / in-lieu item. Prices of master, substitute and in-lieu items must be quoted separately. **firms may contact Tel Ext 051-90990-6590 & 6564 or Directorate of Logistics, APF (JF-17) PAC Kamra District Attock**

12. DEVIATION FROM SPECIFICATIONS: Stores received at consignee, if found not conforming to the contract specifications will be rejected and replacement in accordance with contractual specifications against rejected stores would be provided to consignee as per delivery schedule laid down in the contract. The replacement will be provided without any additional cost. In case stores are rejected after delivery schedule of the contract, replacement is to be provided at the earliest or by the date advised by Directorate of Central Procurement PAC Board.

13. PACKING: Stores must be dispatched in standard trade packing unless otherwise specified to protect them against any damage. Any loss/damage caused due to poor packing will be recovered from the Supplier. In case items are shipped through sea, packing shall be sea worthy.

14. RESTRICTION OF EXPORT / IMPORT LICENSE: Offer subject to restriction of Import/Export License will not be entertained.

15. APPLICATION OF OFFICIAL SECRET ACT 1923: All matters connected with this inquiry and subsequent actions arising thereafter fall within the scope of the Pakistan Official Secret Act 1923 which forbid providing contractual information to un-authorized / un-concerned person / organization. It is therefore, requested to ensure complete secrecy regarding documents and stores concerned with the inquiry to limit the number of employees having accesses to this information.

16. QUOTING OF PRICES: Prices are to be quoted as follows: -

[

(a) FOB price of the stores (Line Item Wise).

(b) Percentage of agent commission (on Ex-Factory price). Agent commission is to be exclusive of quoted price. Principal must indicate if agent commission is not applicable. If there is no indication of agent commission in principal's Performa invoice, agent commission will neither be given by the principal nor by the Buyer.

(c) The prices must be stated for each item separately both in figures and words. Additional information if any must be linked with entries on the Schedule to Tender (Form **PACB – 002A**)

(d) Original quotation from the foreign manufacturer / supplier / principal must be attached in support of the quoted price. Principal is to endorse following certificate on the original quotation:-

“Certified that stores offered are factory new and from latest production and prices quoted are not more than the international market prices and also not more than those being charged from other buyers “.

(e) Shelf / installation life of each item (if applicable) is to be mentioned separately.

(f) Certificate as per attached Annex “A” duly signed by the principal and agent must be attached with quotation.

17. PROVISION OF OEM CERTIFICATE:

Certificate of OEM for certified vendors or Agency Agreement must be attached with quotation.

18. DISQUALIFICATION: Offers are liable to be rejected if:-

- (a) There is deviation from any instruction described in this invitation to tender.
- (b) Offers are found conditional or incomplete in any respect.
- (c) Multiple quotations against the tender.
- (d) Multiple rates are quoted against one item.
- (e) Manufacturer relevant brochure is not attached (in case of equipment or major assemblies of equipment).
- (f) **Annexure "A", Form PACB-002A (Annexure "D") and PACB-002B (Annexure "E")** duly filled – in and signed by the Bidders are not received with the offer.
- (g) Offer received later than appointed date and time.
- (h) Tender specification if not conforming to the offer. In case of equipment/ major assemblies manufacturer's brochures shows specifications different from those given in tender.
- (j) Offer subject to restriction of Export License.
- (k) Over writing / erasing in prices.
- (l) Change in prices by the supplier after opening of commercial offers unless asked by Directorate of Central Procurement PAC Board.
- (m) Validity of offer is not quoted as required in IT or made subject to confirmation later.
- (n) Offers not accompanied with prescribed tender / Challan fee of Rs. 100/-
- (p) Bid Security not provided.
- (q) **Performa Invoice of Principal / Principal Invoice**, in duplicate clearly indicating whether prices quoted are inclusive of the agent commission, is not enclosed.
- (r) Agency agreement of agent with Principal / OEM and link between Principal and OEM is not provided.
- (s) The validity of agency agreement has expired.
- (t) Offer without certification of OEM.
- (u) If OEM and principal name, contact details (Ph No, Fax No, Email etc) and complete address is not mentioned.
- (v) Offer with Prior sale condition.

19. PAYMENT: Payment will be made through letter of Credit. 80% payment will be made on dispatch of store and remaining 20% payment will be made on acceptance of store and release of Certificate Receipt Voucher (CRVs) by Consignee. 10% Performance Bank Guarantee is to be submitted at the time of signing of contract..

20. SEQUENCE OF QUOTATION: Quotation must be prepared according to the item serial no sequence of Schedule to Tender (Form **PACB-002A**).

21. WARRANTY / GUARANTEE OF STORE: Warranty / guarantee for a period of one year be applicable for stores commencing from acceptance of store at consignee.

22. COUNTRY OF ORIGIN AND MODE OF SHIPMENT: Following details must be provided in your offer / quotation and Performa invoice: -

(a) Country of origin, place of manufacture of store and beneficiary should be mentioned.

(b) Name of port connecting PIAC aircraft / PNSC ship where from the store will be shipped. The firm may like to ensure the availability of PIA flight or PNSC operation from the port of shipment before signing the contract.

(c) Where PNSC or PIAC do not operate, the supplier would ship the stores through Pakistan / Foreign flag Vessel / Airline on freight pre-paid basis with prior approval of procuring agency and claim it subsequently. Freight and Insurance charges should not exceed 7.5% of FOB value of the stores.

23. FAX QUOTATION: Fax / Email quotations will not be accepted except when specifically called for under emergency / urgency, however, Fax / Email quotation, if received will only be considered subject to condition that original Performa invoice for each quotation is received within 7 days of Tender Inquiry opening or as advised by procurement agency. In case original quotation is not received within specified time, the offer will be excluded from the competition without any notice to bidder.

24. LC CHARGES: Payment will be made through irrevocable and non-transferable Letter of Credit. LC opening / advising confirmation and additional charges will be borne by the beneficiary / supplier as per prevailing Bank rates. LC charges within Pakistan will be borne by the purchaser. Charges outside Pakistan are to borne by the seller. Any additional charges incurred due to request of supplier will be borne by the supplier.

25. QUALITY INSPECTION: Items supplied are liable to be inspected by the quality inspectors of the respective factory of PAC before acceptance.

26. SUBMISSION OF CERTIFICATE: The certificate as per attached Annexure "A" is to be submitted along with offer / quotation.

27. TENDER OPENING: Technical offer i.e. without prices will be opened on the date and time mentioned at Annex "C" of tender in the presence of bidders" representatives who choose to attend. The bidders" representatives who are present shall sign a tender opening register / form evidencing their attendance. However time and date for opening of Commercial offers of all those firms whose technical offers are accepted will be intimated later. Commercial offers of firms, which are not technically accepted will be returned to the

firms un-opened. Representative of Foreign Liaison Office will not be allowed to attend Tender Opening unless it is registered with Pakistan Aeronautical Complex Kamra. No unauthorized person will be allowed to attend the tender opening.

28. BID SECURITY: The Bid Security@ 5% (not exceeding 0.150 M) will be deposited by all firms. Bid Security will be deposited in favour of CMA (DP) in the form of CDR / Pay order / Demand draft only at the time of opening tenders (with technical quotation), in a separate envelope. Bid Security will be returned to all firms except three commercially lowest bidding firms on finalization of commercial quotes. Whereas Bid Security to the 2nd and 3rd commercially lowest bidders will be returned on signing of the contract. Bid Security of the contract concluding firm will be returned on submission of bank guarantee and on receipt of performance bank guarantee acceptance certificate from CMA. Quotations once submitted cannot be withdrawn (Partially/Fully) during validity of the quotation. Firms not complying with the said instructions would be liable for disciplinary action beside forfeiture of the earnest money.

Note: - No Quote will be accepted without Bid Security which will be as per IT clause 28. However, Bid Security must be provided in shape of CDR/ Pay order / Demand draft only otherwise your quotation will be rejected.

29. END USER CERTIFICATE (EUC): EUC if required at any stage may be mentioned in the quotation.

30. CHECKING OF STORE: Store will be checked at consignee in the presence of representative of Supplier if he arrives within 15 days after initiation of letter.

31. WITHDRAWAL OF OFFER: If the firm withdraws its offer or backs out from providing items won by the firm within validity period at any stage of contract finalization, the Competent Authority may place such firm under Embargo for a period of six months, which may extend upto one year / forfeit the earnest money.

32. TREASURY CHALLAN: Offer must be accompanied by Challan Form No. F-32A of Rs, 100/- obtained from State Bank of Pakistan/ Govt treasury under "**Departmental Receipt Major Head 1221000**" CMA (ISO's) Rawalpindi on behalf of "Director Central Procurement PAC Board Kamra". Only one offer can be made for same item on one Challan. Multiple offer / rates, if quoted will be rejected.

33. DOCUMENTS REQUIRED: Following information's / copies of document must be provided with Tender: -

- (a) Proof of appearance on Active Tax Payer list of FBR
- (b) Photo copies of valid registration and indexation of foreign principal with PACB/DGDP applicable to the store / equipment offered.
- (c) A copy of letter showing firm's financial capability. Bank statement for last 01 year and other details to ascertain financial capability of firm.
- (d) Copies of audited accounts of the company for the last two accounting years that are prepared in accordance with the International Accounting Standards (IAS).
- (e) Photo copies of General Index number (GID), National Tax number (NTN), Sales Tax registration certificate. Foreign firms are required to provide copy of the

company's valid Tax Compliance certificate issued by Revenue Authority of the domiciled country, valid as at the tender closing date.

(f) Documentary evidence of the company's registration details / Certificate of Incorporation (Legal structure) by a recognized body in the domiciled country. Registration number issued by respective Department of Commerce or concerned department authorising to deal in subject store and export of store.

(g) List and evidence of certification from recognized international bodies like ISO.

(h) List of major clients and references (complete with names of contact persons, address and telephone numbers) of which the company has supplied similar items in the last 05 years. Number of years in the business or dealing in similar items may also be mentioned.

(j) Firm/Supplier name, complete address, contact numbers, and email addresses.

(k) Undertaking that their firm and their proprietors have not been in litigation/blacklisted by any Govt./Semi-Govt/Autonomous body.

(l) Any other document if required during procurement proceedings according to Rule 17 of PPRA rules 2004.

Note: Security clearance of firm is mandatory before participation in tender. Firms having applied for security clearance or those intend to apply for security clearance soon after tender date can also participate in tender after submission of following additional documents. However firm will be required to apply for security clearance immediately after tender submission.

(m) In case of foreign supplier photocopy of resident card, passport or equivalent identification card of person signing the tender is to be provided along with 02 passport size photographs.

(n) Local agents / firms have to submit the copy of CNIC and 02 passport size photographs of person signing tender.

(p) Letter of authorisation from the OEM confirming that the bidder is authorized to deal with the item quoted.

34. FORCE MAJEURE

"Force Majeure" means any event, act / or other circumstances not being an event, act or circumstances, under the control of the Purchaser or of the Seller. The Seller will notify the Purchaser in writing of any such event within 15 days by Fax/Telex/Telegram of its commencement, which is relied upon by the Seller for its failure to comply with its obligation. The Purchaser have the right to conduct investigations to satisfy itself about the genuineness of the "Force Majeure" event Non-availability of raw material for the manufacture of stores, or of export permit for the export of the contracted stores from the country of its origin, not constitute "Force Majeure".

35. ARBITRATION

All matters of dispute or difference, except regarding rejection of stores / Services by the Project Management Office (PMO) / Quality inspector or cancellation of the contract by the Purchaser arising out of this contract between the parties hereto, the same shall be settled by mutual agreement, failing which they shall refer for Arbitration to a final settlement by an Arbitration Tribunal, in Pakistan comprising three arbitrators. One arbitrator shall be appointed by each party and the third arbitrator being appointed by the two arbitrators already appointed or in the event that the two Arbitrators do not agree upon the third arbitrator, a judge of superior court of Pakistan shall appoint the third Arbitrator. The arbitration proceedings will be held at PAC Kamra District Attock Pakistan. The arbitration award shall be un-spoken.

36. LITIGATION

In case of any dispute only Court of Jurisdiction at Attock Pakistan will have the Jurisdiction to decide the matter.

37. RISK PURCHASE

In the event of failure on the part of the Seller to comply with the contractual obligations, the contract is liable to be cancelled at his risk and expense in accordance with General Condition Governing Contracts.

38. TERMINATION OF CONTRACT.

The purchaser shall be entitled to terminate this contract for default on the part of supplier. If the supplier becomes bankrupt, or have a receiving order made against him, or compound with his creditors, or being a corporation commences to be wound up, not being a member's voluntary winding up for the purpose of reconstitution or amalgamation, or carries on its business under a receiver for the benefit of its creditors.

In case the Purchaser elects to terminate this Contract, the Purchaser shall give notice in writing to the Supplier to make good the default. Should the Supplier fail to initiate proceedings in order to comply with the notice within 15 days from the date of serving of such notice,, the Purchaser may forthwith terminate this contract by notice in writing to the Supplier without prejudice to any rights which may have occurred there under to either PARTY prior to such termination. Termination of the Contract shall be without prejudice to any right of arbitration under the contract hereafter. Moreover, The purchaser has the right to increase or decrease the quantity of any item and cancellation of the contract partially or fully without any financial repercussion on either side without assigning any reason within 30 days of signing the contract. Such information will be passed on to the supplier / seller through the fastest means e.g. telephone, telegram or fax etc.

If the supplier delays delivery of any Equipment to be supplied to the Purchaser under this Contract for more than 21(twenty one) days from the time specified for delivery, there of or, 15 days for any extension of subsequent delays then the purchaser reserve the right to terminate this contract without prior notice to the supplier and purchase from elsewhere (other firm or country) stores not delivered, at the risk and expense of the supplier. However, intimation to such a cancellation would be affected by registered letter sent to be supplier and without need to legal or judicial or other formalities. In addition the purchaser will have the right to recover any loss or damage or payment made to the supplier.

Upon termination the Supplier shall refund all such payments for which goods and/or services have not been delivered or rendered. The Supplier shall refund the amount due with interest at 1% above the Libor rate.

39. SECURITY DEPOSIT / BANK GUARANTEE:

To ensure timely and correct supply of stores / services, the firm shall furnish an unconditional bank guarantee (BG) from a scheduled bank of Pakistan for an amount up to 10% of the contract value on a judicial stamp paper of the value of (Rs 100.00) as per prescribed format in the currency same as of contract. The bank guarantee shall be endorsed in favour of CMA (DP) who is the accounts officer specified in the contract. CMA (DP) have the like power of seeking encashment at site of the bank guarantee as if the same has been demanded by the purchaser himself. The bank guarantee shall be submitted by the supplier at the time of Contract signing and will remain valid for up to 60 days after completion of warranty period and remain in force till one year beyond date given in the contract. If period of contract is extended, the supplier shall arrange the extension of bank guarantee within 30 days after the original period to keep its validity always one year ahead of the extended period.

40. LATE DELIVERY

If the Supplier fails to deliver any or all of the Goods by the Date(s) of delivery or perform the Related Services within the period specified in the Contract, the Purchaser may take following actions:-

- (a) Cancel the contract, and/or.
- (b) To purchase from elsewhere stores not delivered, at the risk and expense of the Supplier and without notice to him, or
- (c) To recover liquidated damages when the Competent Purchase Officer is satisfied that the failure to supply the stores / services within the scheduled delivery period has been for reasons within the control of the Supplier, and/or if the Government has suffered loss for reasons of belated delivery. These liquidated damages, if imposed, will be recovered at the rate of up to 2% but not less than 1% (depending on the merit of the case as decided by Competent Purchase Officer) of the value of stores / service supplied late per month or a part of a month for the period exceeding the original delivery period, subject to the provision that the total liquidated damages thus imposed will not exceed 10% of the total value of the stores / services delivered late.
- (d) The purchaser's decision under this clause shall NOT be subjected to arbitration.

41. AUTHORITY TO SIGN DOCUMENTS: Tender must be accompanied by Letter of Authorization to sign the Tender on behalf of the Bidder. Bidder must prove that the person who signs this Tender is fully authorized to bind his establishment / company. Such proof shall be in the form of clear official documents fully legalized by designated authorities in respective countries.

42. DISCREPANCY

The consignee will render a discrepancy report within 90 days after receipt of the material in Pakistan for any discrepancy found in consignment and shortage in quantities for which the seller is responsible to replace short quantity free of cost. If the seller is unable to provide the replacement for the rejected store / short quantities within 90 days, the seller will make a complete refund of any payment received against the rejected store / short quantities to the purchaser. In case of surplus supply by the seller, the purchaser will render to the seller the material delivered in excess at seller's expense. Discrepancy report regarding loss/damage will be immediately lodged with the seller/carrier. Reasonable time be provided to the purchaser to inspect the store. The seller will co-operate with purchaser in filling claims with the carrier. In case the stores on checking / test after receipt at consignee's warehouse are found not conforming strictly to the contract specification and other particular, the Seller shall immediately replace the rejected store by acceptable store free of cost and without any obligation to the Purchaser. If the seller is unable to provide the replacement for the rejected store within 90 days, the seller will make a complete refund of any payment received against the rejected store to the purchaser. Rejected stores will be disposed off by the Seller under his own arrangements within 14 days from the date of rejection and within 72 hours in case of dangerous, infected and perishable stores. In case the seller fails to lift the stores within the above mentioned stipulated period he will pay storage charges at the following rates. Moreover the purchaser shall not be responsible or accountable for the safety or security of the rejected stores if not lifted by the seller after the stipulated time period:-

Cost of the Stores Storage Charges


a. Upto Rs. 1 M	5% per Annum
b. Above 1 and upto 4 M	4% " "
c. 6 to 10 M	3% " "
d. over 10 M	2% " "

42. BIDDING CLARIFICATIONS TO TENDER: In case any clarification is required regarding tender, firm may contact on following address however, queries in regards to the tender shall only be entertained till one week prior to the deadline for submission of tenders.

Technical Clarification: Directorate of Procurement and Stores AMF PAC Kamra
Tel No 051-90990-5290 (Email: amflog@pac.org.pk)

Bidding / Contracting Procedure: Directorate of Central Procurement PAC Board
Kamra Tel No 051-90990-2543 (Email: adcp@pac.org.pk)

Yours sincerely,


(FAHEEM MUMTAZ)
Flight Lieutenant
Asstt Dir Cent Proc
PAC Board Kamra
Tel: 051-90990-2543

Enclosure: -

- (i) Certificate (Annex "A")
- (ii) Questionnaire (Annex "B")
- (iii) Schedule of Stores (Annex "C")
- (iv) Form (PACB – 002A) (Annex "D")
- (v) Form (PACB – 002B) (Annex "E")
- (vi) Form (PACB – 002C) (Annex "F")
- (vii) Details of Bank Guarantee (Annex "G")

CERTIFICATE

TENDER / CONTRACT No PACB/786-A/17230015/0341/P-4

It is certified that no person, firm, cooperation, subsidiary or entity in Pakistan or elsewhere shall directly receive any rebate, bonus commission, gift or favour in cash or kind other than commission allowed to M/S (FULL NAME TITLE OF THE COMPANY WITH ADDRESS) against contract No _____ dated _____ In case if it is discovered that contents of this certificate have been infringed / violated by the supplier the purchaser will have the right to cancel the contract and / or impose a penalty equal to 25% of the contract value.

AGENT-

Seal & Signature

PRINCIPAL

Seal & Signature

COUNTERSIGNATURE

Director Central Procurement

Seal & Signature

QUESTIONNAIRE TO BE FILLED IN BY BIDDER

Firm is required to provide confirmation of following points and in case of any change, same is to be highlighted in remarks column.

S.No	Description	Yes / No	Remarks
1.	Whether stores offered conform to the specification and confirmation to this effect has been made in the quotation given in Form PACB – 002A .		
2.	Whether deviation from the demanded specification is attached with Form PACB – 002A .		
3.	Whether complete quotation has been submitted in duplicate.		
4.	Whether the prices are exclusive of taxes/duties if so whether taxes/duties have been shown separately.		
5.	Whether Form PACB–002A & 002B duly filled in and signed by the Bidder have been returned in herewith.		
6.	Whether original invoice Performa from principal has been enclosed herewith.		
7.	Whether copy of valid registration / business authorization of firm have been enclosed herewith.		
8.	Whether tender fee challan amounting to Rs 100/- has been enclosed herewith.		
9.	Whether details of financial capability (Bank Statement etc.) and financial load of contracts outstanding against your firm have been provided.		
10.	It is confirmed that no Taxes / Duties & Dues payable to Pakistan Govt are outstanding at the part of vendor / firm.		
11.	Copy of NTN, sales tax certificate OR Equivalent Tax compliance Certificate (for foreign firms) has been attached.		
12.	It is confirmed that firm and their proprietors have not been in litigation / blacklisted by any Govt./Semi-Govt / Autonomous body		
13.	Valid, original agency agreement has been attached with quotation.		
14.	Unit Price has been provided against same unit of issue as mentioned in IT. In case of change in unit of issue, price has been converted as per ITs unit of issue in a separate column along with conversion formula		
15.	Specimen of End User Certificate has been attached (If required)		
16.	Country of origin and port of shipment have been mentioned.		
17.	All requisite documents as per Para 33 of Invitation to tender have been attached.		
18.	10% PBG will be provided at the time of signing of contract		
19.	Warranty / Guarantee will be provided for required period		
20.	Letter of Authorization to sign Tender Documents on behalf of firm has been attached.		
21.	Incoterm is as per IT .i.e. FCA / FOB etc		
22.	Offer is without any condition		
23.	All terms and conditions mentioned in IT are acceptable		

Dated: _____

(Signature of Bidder & Stamp)

SCHEDULE OF STORES

Tender Inquiry No: - **PACB/786-A/17230015/0341/P-4**

TENDER SUBMISSION TIME: - Before 1030 Hrs on opening date

TIME & DATE OF OPENING **1100 Hrs on 08-01-2018**
Extended Upto 23-01-2018

(Note: Firms are requested to read carefully all the paras of IT. Moreover, unit price against same unit of issue as mentioned in IT is to be provided. However, if any change may be required in unit of issue the price must be converted as per IT's unit of issue in separate column. Furthermore, conversion of unit of issue and unit price must be mentioned in commercial quote.)

PROC OF SPARES FOR MBIT TESTER AND IDC-93 TESTER (AS PER FOLLOWING DETAIL)

S NO	PART NO. (MASTER AS WELL AS I/L)	NOUN	Specification	U/I	QTY REQ
1	100-8435	Heat Shrink Tubing Size 12.7MM	I.D. Supplied - Metric: 12.7mm, I.D. Supplied - Imperial: 0.499", Shrink Ratio: 2:1, Shrink Tubing / Boot Colour: Black Shrink Tubing / Boot Material: PO (Polyolefin) Shrink temperature 70°C min. •Full recovery temperature 120°C •Operating temperature range -55°C to +125°C	MR	800
2	MS27467T13F35S	Mil Spec Connectors/Plug Straight, EMI/RFI	Number of Positions: 22 Position Insert Arrangement: 13-35 Contact Gender: Socket (Female) MIL Type: MIL-DTL-38999 Product: Plugs Shell Size: 13 Shell Style: In-Line Mounting Style: Wire Termination Style: Crimp Current Rating: 5 A Contact Plating: Gold Series: MS 38999 I Brand: Amphenol Aerospace Mounting Angle: Straight Qualification: EREL Shell Material: Aluminum Alloy Shell Plating: Passivated Steel	Ea	40

CASE NO.PACB/786-A/17230015/0341/P-4

3	JMS27468E13F35P	Connector	<p>Number of Positions: 22 Position Insert Arrangement: 13-35 Contact Gender: Pin (Male) MIL Type: MIL-DTL-38999 Product: Receptacles Shell Size: 13 Shell Style: Jam Nut Series: MS 38999 I Number of Positions: 22 Position Insert Arrangement: 13-35 Contact Gender: Pin (Male) MIL Type: MIL-DTL-38999 Product: Receptacles Shell Size: 13 Shell Style: Jam Nut Series: MS 38999 I Brand: Amphenol Aerospace Shell Plating: Passivated Steel</p>	Ea	40
4	M85049/49-2-12N	Connector/ Strain Relief	<p>MIL Type: MIL-DTL-38999 I, II Shell Size: 12 Mating Style: Non-Self Locking Shell Material: Aluminum Alloy Shell Style: Straight Series: AS85049 Brand: Amphenol Pcd Factory Pack Quantity: 1 Type: Strain Relief Clamps Part # Aliases: A8504949212N Unit Weight: 13,385 g</p>	Ea	80
5	E1819	Single Wire E1819 SPC 18 AWG	<p>Equipment Wire PTFE: Polytetrafluorethylene (-90°C to +200°C) 600 VAC 18 AWG No. of strands 19 Color White</p>	MR	750
6	ET2207STK3	Cable	<p>Standard braided, jacketed, shielded equipment Wire PTFE: Polytetrafluorethylene (-90°C to +200°C) 600 VAC 22 AWG No. of strands 07 Color White No. of wires 03</p>	MR	500
7	ET2207STK2	Cable	<p>Standard braided, jacketed, shielded equipment Wire PTFE: Polytetrafluorethylene (-90°C to +200°C) 600 VAC 22 AWG No. of strands 07 Color White No. of wires 02</p>	MR	700
8	FAW100	DB-9 Connector (socket type)	<p>Guard your cable connections from dust and water damage with this backshell kit. • Protect critical connections in harsh environments. • Ideal for use in areas exposed to water spray. • IP67 rated. •Guaranteed for life!</p>	Ea	18
9	GE1950-1101	DC Power Adopter	<p>Input Voltage: 12-32 VDCOutput Voltage: 19 VDCOutput Current: 5 ampsInput 1 Connector 1: CigInput 1 Connector 2: MP205Output 1 Connector 1: 2.1mmOutput 1 Connector 2: Kycon KPPX-4PInput 1 Length: 36 InchesOutput 1 Length: 36 InchesJacked Fuse: SLUGSize: 5.5" x 3.1" x 1.1"Weight: 1.4 lbs</p>	Ea	8
10	462A011-25-0	Thermofit Heat Shrinkable Polymeric	<p>Boot Configuration: 1 to 3 Transition I.D. Supplied - Imperial: 0.519" I.D. Supplied - Metric: 13.2mm Shrink Tubing / Boot Colour: Black Shrink Tubing / Boot Material: Elastomer •Operating temperature range -75°C to +150°C</p>	Ea	50
11	SNZ23-19/27B-6-B	Plug	<p>No. of Pins 19 Shell Size 27 Opertion temp -60C° ~155C° Vibration 1~5000Hz, Acceleration ≤ 40g Insulator Intensity 2100V Operating Voltage 700V Insulator Resistance 5000 MΩ Endurance 500 Cycle 1000 Hrs</p>	Ea	50

CASE NO.PACB/786-A/17230015/0341/P-4

12	XZ6B3	GETAC Backpack for X500	Brand Name: Getac Product Name: Carry Bag Product Type: Carrying Case Style: Backpack Carrying Options: Shoulder Strap Color: Black Application/Usage: Notebook Compatibility: Getac - X500 / X500 Server Maximum screen size compatibility: 39.6 cm (15.6"), Display diagonal: 39.6 cm (15.6")	Ea	8
13	X500-i5	Ultra Rugged 15.6" NoteBook 15.6" Full HD (1920x1080) 800 NITs Sunlight-Readable LED Display + built-in Qty 02 RS-422 comm ports having Mil spec connector based RS-422 I/O interface on casing + 4GB RAM / 500GB HDD / -20C Wide Range Temp/DVD super Multi / Wireless LAN a/g/n / PCMCIA / Express	15.6" Full HD (1920x1080) 800 NITs Sunlight-Readable LED Display + built-in Qty 02 RS-422 comm ports having Mil spec connector based RS-422 I/O interface on casing + 4GB RAM / 500GB HDD / -20C Wide Range Temp/DVD super Multi / Wireless LAN a/g/n / PCMCIA / Express	Ea	8
14	X-SP500HD	Getac HDD 500GB with Canister	Storage Capacity: 500 GB SATA 7200 RPM	Ea	2
15	E2207-9	Wire (White)	Standard equipment Wire PTFE: Polytetrafluorethylene (-90°C to +200°C) 600 VAC 22 AWG No. of strands 07 Color White	MR	750
16	MS27496E11F35P	Mil Spec Connectors (Receptable Box Mount)	Number of Positions: 13 Position Insert Arrangement: 11-35 Contact Gender: Pin (Male) MIL Type: MIL-DTL-38999 Product: Receptacles Shell Size: 11 Shell Style: Box Mount Termination Style: Crimp Series: MS 38999 I Brand: Amphenol Aerospace Shell Plating: Passivated Steel	Ea	45
17	MS27467T11F35S	Mil Spec connectors/plug Straight,EMI/RFI	Number of Positions: 13 Position Insert Arrangement: 11-35 Contact Gender: Socket (Female) MIL Type: MIL-DTL-38999 Product: Plugs Shell Size: 11 Shell Style: In-Line Mounting Style: Free Hanging Termination Style: Crimp Current Rating: 5 A Contact Plating: Gold Contact Material: Copper Alloy Series: 8LT Brand: Souriau Mating Style: Bayonet Mounting Angle: Straight Shell Material: Aluminum Alloy Shell Plating: Passivated Steel	Ea	45
18	M85049/49-2-10N	Mil Spec connectors/Strain Relief	Product: Strain Reliefs MIL Type: MIL-DTL-38999 I, II Shell Size: 10 Mating Style: Non-Self Locking Shell Material: Aluminum Alloy Shell Style: Straight Packaging: Bulk Brand: Sunbank / Souriau Shell Plating: Electroless Nickel Factory Pack Quantity: 1 Type: Strain Relief Clamps Unit Weight: 8 g	Ea	45

19	664903	6000 seriesToggle switches Single pole	Current Rating 10A (AC), 6.5A (DC) Voltage Rating - AC 125V Voltage Rating - DC 30V Actuator Type Standard Round Actuator Length 17.50mm Illumination Non-Illuminated Mounting Type Panel Mount Termination Style Screw Terminal Panel Cutout Dimensions Circular - 12.20mm Dia Bushing Thread 15/32-32 Features Matte Black Finish Actuator Material Brass, Chrome Plated Electrical Life 10,000 Cycles Operating Temperature - 40°C ~ 85°C	Ea	4
20	665903	6000 seriesToggle switches Double pole	Current Rating : 10A (AC), 6.5A (DC) Voltage Rating : AC 125V Voltage Rating : DC 30V Actuator Type : Standard Round Actuator Length : 17.50mm Illumination : Non-Illuminated Mounting Type : Panel Mount Termination Style : Screw Terminal Panel Cutout Dimensions : Circular - 12.20mm Dia Bushing Thread : 15/32-32 Features : Matte Black Finish Actuator Material : Brass, Chrome Plated Electrical Life : 10,000 Cycles Operating Temperature : -40°C ~ 85°C	Ea	4
21	6421A-03	6000 seriesToggle switches Three pole	Current Rating 10A (AC), 6.5A (DC) Voltage Rating - AC : 125V Voltage Rating - DC : 30V Actuator Type: Standard Round Actuator Length : 17.50mm Illumination :Non-Illuminated Mounting Type : Panel Mount Termination Style :Screw Terminal Panel Cutout Dimensions :Circular - 12.20mm Dia Bushing Thread :15/32-32 Features : Matte Black Finish Actuator Material: Brass, Chrome Plated Electrical Life: 10,000 Cycles Operating Temperature:-40°C ~ 85°C	Ea	4
22	6669-03	6000 seriesToggle switches four pole	Current Rating: 10A (AC), 6.5A (DC) Voltage Rating - AC: 125V Voltage Rating - DC 30V Actuator Type: Standard Round Actuator Length: 17.50mm Illumination : Non-Illuminated Mounting Type: Panel Mount Termination Style: Screw Terminal Panel Cutout Dimensions : Circular - 12.20mm Dia Bushing Thread : 15/32-32 Features : Matte Black Finish Actuator Material: Brass, Chrome Plated Electrical Life: 10,000 Cycles Operating Temperature : - 40°C ~ 85°C	Ea	96
23	U58	Neoprene Protection Caps for 1-pole	Manufacturer: Apem Product: Hardware Type: Nut Brand: Apem Series: U	Ea	4
24	U120	Neoprene Protection Caps for 2-pole	Manufacturer: Apem Product: Hardware Brand: Apem Series: U	Ea	4
25	U46 I/L 642-46P	Neoprene Protection Caps for 3-pole	Product Category: Switch Bezels / Switch Caps Manufacturer: Apem Product: Caps Type: Security Brand: Apem	Ea	4
26	U47	Neoprene Protection Caps for 4-pole	Product Category: Switch Bezels / Switch Caps Manufacturer: Apem Product: Caps Type: Security Brand: Apem	Ea	96
27	SLK485-010	SNAP Link serial Wireless Adapters	Function :Gateway Modulation or Protocol :SNAP® Applications:General Purpose Interface :RS-485, USB Voltage - Supply :12VDC, 24VDC	Ea	2

28	ABDN-SE-IN5420	M2M Ethernet Dual Band (2.4 GHZ,5 GHZ) Ethernet	<p>RS-232/422/485 or 10/100 Mbps Ethernet to 802.11a/b/g/n (2.4GHz, 5 GHz) One or two serial ports, one Ethernet port Advanced Enterprise class wireless security 2 kV serial ESD surge suppression Variable DC power supply (5-36 VDC), PoE 802.3af Power over Ethernet Extended operating temperature range (-40°C to +85°C)</p>	Ea	2
29	GWSU-1-1	GECO Wireless Server Unit	<p>Rugged design for high shock, and extended temperature environments Wireless transfer by WiFi Separate digital I/O, for engines and avionics RS422 and RS232 interfaces ARINC429 TX and RX 10/100base TX Ethernet Support for GPS receiver Standard EMI compliance with MIL-STD-461 Under 5lbs</p> <p>Mechanical 216mm (8.5in) long x 125mm (4.9in) wide x 52mm (2in) high; volume 1404cm3 (83.3in3) 4.0 pounds Power: One Glenair 801 Series 9-4 4#16 I/O: Two Glenair 801 Series 13-37 37#23 Three SMA connectors</p> <p>Power Supply Meets MIL-STD-704F Input voltage 28VDC Convection cooled Efficiency greater than 80 percent Over-voltage, over-current and in-rush protection</p> <p>Environment Environmentals to MIL-STD-810F Salt Fog and Spray Fungus, Sand and Dust Explosive Atmosphere Humidity: 95% non condensing Altitude: -1000 ft to +25,000 ft Temperature: -40°C to +85°C Shock: 20G@11ms Acceleration: 6.1G all axis</p>	Ea	2
30	WF485	Serial WiFi Adapter - RS485, Industrial	<p>Operating system Virtual COM software available for Windows 10, 8.1 / 8, 7, Vista (32/64-bit) Processor MIPS processor (32bit 580MHz), RAM: 8MB, Flash: 2MB Parameter configuration Web-browser (over WiFi), by AT commands or by software utility Wi-Fi Network standard IEEE 802.11 b/g/n Frequency 2.400–2.484GHz Protocols TCP, UDP, ARP, ICMP, DHCP, HTTP, HTTPD Client, Modbus TCP/RTU Network type STA (for ad-hoc) and AP (for infrastructure) Security OPEN, SHAREDWEP, WPA-PSK and WPA2-PSK Max. simultaneous clients 32 Clients in TCP Server mode. All 32 can be served at the same time Modulation DSSS / OFDM Operating distance Up to 330 feet (100 meters) Serial Port RS485 Signals D+, D-, GND Serial port 1-port RS485 screw terminals Baud rates 300 - 460800bps Data bits 5, 6, 7, 8 Parity None, Odd, Even, Mark, Space Stop bits 1, 2 Buffer TX: 4Kb RX: 4Kb Flow control Internal Send Data Control Power Power supply 5VDC (+/- 5%), barrel plug and screw terminals Power consumption 170 - 350 mA @ 5V Antenna Antenna External 3dbi di-pole antenna, SMA male (inside threads / center pin) Antenna connector (on converter) SMA female (outside threads / center receptacle) Transmit power 802.11b: +17dBm(Max.) 802.11g: +16dBm(Max.) 802.11n: +15dBm(Max.) Receiver Sensitivity 802.11b: -89dBm 802.11g: -76dBm 802.11n: -74dBm Environmental Operating temp. -25C to 85C Enclosure Aluminium with screw mounting holes Dimensions 84 x 84 x 25mm Certifications CE, FCC, ROHS</p>	Ea	2

31	RNF-3000-39/13-X-SP	Heat Shrinkable Sleeve Transparent 39/13MM	Inside Diameter: 39 mm Color: Clear Recovered Diameter: 13 mm Material: Polyolefin (PO) Shrink Ratio: 3:1 Series: RNF-3000 Packaging: Bulk Brand: TE Connectivity Chemical Resistant: Yes Flammability Rating: Non-Flame Retardant Maximum Temperature: + 135 C Minimum Shrink Temperature: + 80 C	MR	100
32	RNF-3000-24/8 -X-SP	Heat Shrinkable Sleeve 24/8 MM	Inside Diameter: 24 mm Color: Clear Length: 1 m Recovered Diameter: 8 mm Material: Polyolefin (PO) Shrink Ratio: 3:1 Series: RNF-3000 Packaging: Bulk Brand: TE Connectivity / Raychem Chemical Resistant: Yes Flammability Rating: Non-Flame Retardant Maximum Temperature: + 135 C Minimum Shrink Temperature: + 80 C	MR	100
33	RNF-3000-18/6 -X-SP	Heat Shrinkable Sleeve Transparent 18/6MM	Inside Diameter: 18 mm Color: Clear Recovered Diameter: 6 mm Material: Polyolefin (PO) Shrink Ratio: 3:1 Series: RNF-3000 Packaging: Bulk Brand: TE Connectivity Chemical Resistant: Yes Flammability Rating: Non-Flame Retardant Maximum Temperature: + 135 C Minimum Shrink Temperature: + 80 C	MR	100
34	RNF-3000-12/4 -X-SP	Heat Shrinkable Sleeve Transparent 12/4MM	Inside Diameter: 12 mm Color: Clear Recovered Diameter: 4 mm Material: Polyolefin (PO) Shrink Ratio: 3:1 Series: RNF-3000 Packaging: Bulk Brand: TE Connectivity / Raychem Chemical Resistant: Yes Features: Flexible Flammability Rating: Non-Flame Retardant Maximum Temperature: + 135 C Minimum Shrink Temperature: + 80 C	MR	100
35	RNF-3000-9/3 -X-SP	Heat Shrinkable Sleeve Transparent 9/3MM	Inside Diameter: 9 mm Color: Clear Recovered Diameter: 3 mm Material: Polyolefin (PO) Shrink Ratio: 3:1 Series: RNF-3000 Packaging: Bulk Brand: TE Connectivity / Raychem Chemical Resistant: Yes Compliance: UR, CSA, VDE Features: Flexible Flammability Rating: Non-Flame Retardant Maximum Temperature: + 135 C Minimum Shrink Temperature: + 80 C	MR	100
36	RNF-3000-3/1 -X-SP	GUIANA Thermo Sleeve	Inside Diameter: 3 mm Color: Clear Length: 1 m Recovered Diameter: 1 mm Material: Polyolefin (PO) Shrink Ratio: 3:1 Series: RNF-3000 Packaging: Reel Brand: TE Connectivity / Raychem Chemical Resistant: Yes Flammability Rating: Non-Flame Retardant Maximum Temperature: + 135 C Minimum Shrink Temperature: + 80 C	MR	100
37	PD3259	Non contact digital phase detector with all accessories	Product weight: 250 hundredths-pounds Fast, safe phase detection and voltage measurement with no-metal-contact voltage sensors Display that is large enough to show all necessary data, simplifying assessment of information	Ea	1

CASE NO.PACB/786-A/17230015/0341/P-4

38	FLUKE435-II	3 Phase Power quality and energy analyzer with carrying case	Vrms (AC + DC) 1 V to 1000 V phase to neutral Resolution 0.01 V Voltage Crest Factor (CF) 1.0 > 2.8 Power Factor (Cos ϕ /DPF) 0 to 1	Ea	1
39	4PDT-3-MTD	AC 15A/250V 10A/380V 2 Way On/On 4 Pole Double Throw 4PDT Toggle Switch	Item Weight :0.6 ounces Package Dimensions: 6.9 x 4 x 1.2 inches	Ea	8
40	CFSL-687CB	Screenflex Portable Room Divider	Width : 157 Inch Height : 80 Inch Color : Blue Assembly : Assembled Brand : Screenflex Frame Color : Black Number of Panels : 7 Style : Folding & Mobile Thickness : 3/4 Inch Weight: 151 Lbs Material : Fabric Frame Construction : Steel Type : Room Divider Height Range > 6 to 7 ft Width Range >12 to 15 ft	Ea	2
41	NUC7I5BNK	NUC Kit	<ul style="list-style-type: none"> •Intel® Core™ i5-7260U Processor (4M Cache, up to 3.40 GHz) Processor Included •M.2 SSD Internal Drive Form Factor •HDMI 2.0a; USB-C (DP1.2) Graphics Output 	Ea	2
42	1991253-9	9 Way Low Cost D Sub Backshell	<p>Accessory Type: Hinged Backshell Number of Positions: 9 Cable Type: Round Cable Exit: 180° Shielding: Unshielded Material: Polyamide (PA), Nylon Hardware : Assembly Hardware, Cable Clamp Features: Mating Screws 4-40 Color: Black</p>	Ea	25
43	445005-1	Plug Assy, 9 POSN, AMPLIMITE	<p>RoHS: No Series: 109 Brand: TE Connectivity / AMP Tradename: AMPLIMITE</p>	Ea	50
44	1478762-9	Metal Backshell 9 Way Top E	<p>Two Piece Backshell Number of Positions: 9 Cable Type: Round Cable Exit: 180° Shielding: Shielded Material: Metal, Zinc Plating : Nickel Hardware: Assembly Hardware, Grommets, Strain Relief Features: Mating Screws 4-40 Color: Silver</p>	Ea	25
45	MS27467T17F26S	Circular Connector	<p>RoHS: No Number of Positions: 26 Position Insert Arrangement: 17-26 Contact Gender: Socket (Female) MIL Type: MIL-DTL-38999 Product: Plugs Shell Size: 17 Shell Style: In-Line Mounting Style: Cable Termination Style: Crimp Contact Plating: Gold Series: MS 38999 I Brand: Amphenol Aerospace Mating Style: Bayonet Mounting Angle: Straight Qualification: EREL Shell Material: Aluminum Shell Plating: Passivated Steel</p>	Ea	2
46	MS27467T17F26P	Circular Connector	<p>Number of Positions: 26 Position Insert Arrangement: 17-26 Contact Gender: Pin (Male) MIL Type: MIL-DTL-38999 Product: Plugs Shell Size: 17 Shell Style: In-Line Termination Style: Crimp Series: MS2746 Shell Plating: Passivated Steel</p>	Ea	2

47	MS27466T17F26P	Circular Connector	Number of Positions: 26 Position Insert Arrangement: 17-26 Contact Gender: Pin (Male) MIL Type: MIL-DTL-38999 Product: Receptacles Shell Size: 17 Shell Style: Wall Mount Termination Style: Crimp Series: MS2746 Shell Plating: Passivated Steel	Ea	2
----	----------------	--------------------	--	----	---

Notes:-

1. Quotation must be submitted on '**FOB**' basis only.
2. Payment will be made as per PAC Board procedure.
3. Store to be delivered on "FOB" basis.
4. Supplier be made responsible for warranty/guarantee of item for one year.
5. Part catalogue be provided free of cost.
6. Item should be current year production.
7. Store will be inspected by concerned user/Quality Control APF.
8. All technical publication (hard and soft copies) "wherever applicable" will be provided free of cost.

t

Annexure "D"

Form PACB-002A

**PAKISTAN AERONAUTICAL COMPLEX BOARD
KAMRA**

SCHEDULE TO TENDER

1. **TENDER INQUIRY NO: PACB/786-A/17230015/0341/P-4**
2. Time and Date of opening Tender at 1100 Hrs on **08-01-2017 Extended Upto 23-01-2018**

(1)	(2)	(3)	(4)	(5)	(6)
Item No	Part No. Description of stores with specifications	Unit of issue	Qty	Unit price	Total price

Grand Total

Signature of Bidder
(Capacity in which signing)

UNDER TAKING
(Fill in and Return)

To,

**Member Commercial
Pakistan Aeronautical Complex Board
Kamra Distt Attock**

Dear Sir,

I/We hereby offer to supply to PAC Board the stores detailed in the Schedule to Tender or such portion thereof as you may specify in the contract at the prices given in Form **PACB – 002A** and further agree that this offer will remain valid up to _____ and will not be withdrawn or altered in terms of rates quoted and the condition stated therein on or before this date. I/We shall be bound by your communication of acceptance to be dispatched within the prescribed time.

I/We understood the instructions to Tenders and condition of contract as laid down in Form **PACB-10** titled "**General Conditions Governing Contract**" and thoroughly examine specification / drawing and / or patterns quoted in the Schedule to Tender and am/are fully aware to the nature of the stores required and my/our offer is to supply stores strictly in accordance with the requirements.

Witness's Signature:

Name:

N.I.C No.

Address:

Date:

Signature of Bidder:

Name:

N.I.C No.

Capacity in which Signing:

Address:

Date:

Tel: Telex/Fax

SPECIAL INSTRUCTIONS

Under mentioned information must be provided along with quotation else your quotation will be rejected: -

S.No	Description / Requirement	Remarks / Attached
1.	Delivery Period	
2.	Quotation Validity (Must be 30-06-18)	
3.	Country Of Origin	
4.	Port of Shipment	
5.	Terms of Payment (As per Para 19 of IT)	
6.	BG% (Confirmation to provide 10% BG)	
7.	Warranty / Guarantee period offered by Firm	
8.	Beneficiary Details (Completed address along with contact No)	
9.	Complete Bank address and Account Details For Payment / Letter of Credit	
10.	Previous Experience (Nature of Business and No of Years in Business)	
11.	Registration Status With PAC Board	
12.	Signing Authority (Name, Designation, Contact Details)	
13.	Address of local firm alongwith contact No, email etc	
14.	Manufacturer and Brand Name (If applicable)	

GENERAL CONDITIONS FOR BG

(a) To ensure timely and correct supply of stores, the firm will furnish an unconditional Bank Guarantee at the time of the signing of the contract from a schedule Bank for an amount of _____ i.e. 10% of the total value of the contract (on a judicial Stamp paper of the value of Rs 100/-). The Bank Guarantee shall be endorsed in favour of CMA (DP) who is the Account Officer specified in the contract. The CMA (DP) concerned shall have the like power of seeking encashment of the Bank Guarantee as if the same has been demanded by the purchase officer himself.

(b) The Bank Guarantees will be of following types with validity and amount has mentioned in each type

(i) **Bank Guarantee against contract performance** It will be between 10% of total value of contract excluding taxes/duties and freight/handling charges etc. It shall remain in force till 60 days beyond the Delivery Period stipulated in the contract.

(ii) **Bank Guarantee against Advance/ Down Payment.** It will be equal to amount paid in advance /down payment shall remain valid till 60-days beyond the Delivery Period stipulated in the contract.

(iii) **Bank Guarantee against Warranty Period.** It will be for amount of 10% of contract value excluding taxes/duties and freight /handling charges, etc. Duration of BG against Warranty Clause is variable. Normally under DP-15, it is for one year for the general type of equipment/ spares. For consumable goods, the warranty period should also expire after 6 months or when the goods are fully consumed whichever is earlier or as per terms of contract.

(c) If the supply of store is on warranty, the supplier shall be bound to extend the validity of Bank guarantee for such further reasonable period if so required by the purchase officer to cover the warranty period.

(d) If the supplier fails to provide the Bank guarantee within 30 days after signing a contract, such failure shall constitute a breach of contract and the Director purchase shall be entitled to make other arrangements at the risk and expense of the supplier if no other BG / Bid Security of the same supplier for an equal amount is held up for final release, with the purchaser against any other completed contract(s). In the event of unsatisfactory performance or of any breach of terms of the contract, Bank guarantee shall be forfeited to the Govt. at the discretion of the purchaser. On satisfactory performance of the contract, the Bank Guarantee will be returned to the supplier by CMA (DP) on receipt of instruction from the purchaser i.e. Directorates of Procurements etc.

(e) In case of FOR tenders/contract it is imperative that BGs are obtained from firms/suppliers/agents through scheduled Banks of State Bank of Pakistan so as to safeguard the interest of the state.

(f) In case of FOB tenders/contracts, Bank Guarantee is to be obtained preferably from LC opening Bank of Pakistan and through supplier, LC opening Bank abroad. In case firm does not agree to the aforesaid condition, then BG should at least, be obtained from supplier's country Bank located in Pakistan or any enlisted scheduled Bank of Pakistan in favour of LC opening Bank in Pakistan or any scheduled Bank of Pakistan, and the same will be a Bank to Bank Guarantee in favour of CMA (DP).