

PAKISTAN AERONAUTICAL COMPLEX, KAMRA MIRAGE REBUILD FACTORY TENDER NOTICE NO MRF/18-19/09 DATED 08 NOVEMBER, 2018.

1. Mirage Rebuild Factory, Pakistan Aeronautical Complex Board Kamra invites sealed bids from the Original manufacturer / authorized distributors / suppliers / contractor registered with Income Tax and Sales Tax Department and PACB registered for supply of following miscellaneous items on F.O.R Basis (Professional Tax certificate, Punjab is mandatory). Details of requirements is as follows:-

“AMPARE METER 0-40(FOR 25 KVA GENERATOR), Platinum Electrode (Anode), Platinum Electrode (Cathode), HYDROLIC TRACK KATO CRANE 11 TON 741-271, RIBBON, RUBBER MAT SIZE 3X50, Military Aircraft weighing system (Load cell system), Machine Decontamina, Shoe Cleaning Machine, Floor Polishing Mach, Telephone Set (3902), Telephone Set (2616), Hydraulic Oil, Shell Tona T32 Oil, X-Ray Film 9x12cm, Roll Cab Single Bank (08 Drawers red), X-Ray Film 18x24cm, UPS 1KVA, MOLY NUT HEX 1/4-20UNC, THERMOLYNE FURNACE, RUBBER MAT 1/4 INCH, DIFFUSION PUMP FLUID DC-702, WATER EXTANDABLE CUTTING OIL(SHELL TROKUT-B), HEATING ELEMENT, 8 PORT POE 12 SFP NETWORK SWITCH ALONG SFP MOULES, Honda CG 125 Motor Cycle, INSULATION METER(FLUKE), FIBER GLASS WITH SILICON ADHESSIVE, TOWER TYPE REVERSIBLE AIR CONDITIONER 02 TON, COMPOUND, AIR PRESSURE TRANSDUCER 0-300PSIG+_5%, TRICHLOROETHYLENE, RADIO SCOPY SYS 225 KV.

2. List of items can also be downloaded from PPRA website www.ppra.org.pk and as well as PACB website www.pac.org.pk free of cost or can be collected from DTE of Log (LP Section) MRF PAC Kamra Distt Attock from 09-11-2018 during working hours (except holidays).

3. The quotations, prepared in accordance with the instruction in the Tender List, must reach at Mirage Rebuild Factory PACB Kamra **before 27-11-2018 at 1000 Hrs. Quotations will be opened on the same day at 1100 Hrs.** The advertisement is also available on PPRA website at www.ppra.org.pk and as well as PACB website www.pac.org.pk

DUE DATE : 27-11-2018 before 1000 Hrs.
TENDER OPENING TIME : 27-11-2018 at 1100 Hrs.

Please contact **Tele # 051-9099-4294 / 4414, 4417 or Fax No 057-9317412** for any other information.

**DIRECTOR LOGISTICS
MRF PACB KAMRA
DISTT ATTOCK**

Directorate of Logistics MRF, PAC Kamra



Contact No. 051-90994294, 4414 & 4417, Fax No. 057-9317412

**LIST OF OPEN TENDER NO MRF/18-19/09
DATED 08-10-2018 OPENING DATE 27-11-2018**

SN O	PART NO	NOUN	Qty	U/I	SPECIFICATION
1	6650/AUXY-502	AMPARE METER 0-40(FOR 25 KVA GENERATOR)	3	EA	PART # 6650/AUXY-502 CAPACITY 25 KVA (0-40 RANGE)
2	6630pk0310001	Platinum Electrode (Anode)	1	EA	platinum electrode (anode) weight = 15-20 gm height = 4.7 cm (approx) diameter = 3.0 cm (approx)
3	6630PK0310002	Platinum Electrode (Cathode)	1	EA	platinum electrode (CATHODE) weight = 20-25 gm height = 4.7 cm (approx) diameter = 4.0 cm (approx)
4	16A/NIV-11-2	HYDROLIC TRACK KATO CRANE 11 TON 741-271	1	EA	Engine overhauling,Cabin poshish, Electrical system repairing,Complete paint with stickers,Diesel pump repairing, Nozzle Repairing, Cylenders repairing,Pressure plate repairing,Radiator repairing,Cluch plate lining fitting.
5	259885-104	RIBBON	10	EA	For printer printonix 8205-made in mexico or malaysia
6	32C/598F	RUBBER MAT SIZE 3X50	500	KG	Sample available in LP store

 <p>جہان تازہ کی آواز سے نمود</p>	<p>PAKISTAN AERONAUTICAL COMPLEX 2 A SYMBOL OF EXCELLENCE IN AVIATION</p> <p>www.pac.org.pk</p>	 <p>جہان تازہ کی آواز سے نمود</p>
--	--	--

7	BW2000	Military Aircraft weighing system (Load cell system)	1	EA	Type=Military Aircraft weighing system (Load cell system) Model=BW2000 Accuracy= $\pm 0.1\%$ of applied load or ± 5 lbs whichever is greater Load cell capacity= 100,000 lbs Operating Temperature= 0°C to 60°C
8	1400-VA	Machine Decontamina	1	EA	Ultra clean product 1400-va manufacturer ultra clean product model 1400-va.description shoe cleaner ,fully auromatic shoe cleaner with built in cacume pump and disposable dust bags-power requirements 115v ,12.0A, 60Hz, 1 phase
9	HCSK-001	Shoe Cleaning Machine	2	EA	Drive=belt drive and strong motor, Dimension= 46cmx60cmx110cm w x d x h , Weight=60kg net ,64kg gross, starter= sensor with timer, bristles=wheel and disk plate;Nylon upper brush;horsehair(optionally;nylon? at no additional cost)
10	1236-254	Floor Polishing Mach	1	EA	Motor=230v/50-60hz,working capacity=700meter square/hr, cleaning tank capacity=10Lt, Waste tank capacity=11Lt,Brush speed=550rpm,cable=20mtr, weight 36kg
11	NTMN32	Telephone Set (3902)	15	EA	DimensionsWidth:7.75 in. (197 mm)Depth 1:6.75 in. (171 mm)Depth 2:5.13 in. (130 mm)Height 1:7.00 in. (178 mm)Height 2:1.8 lb (0.82 kg)Weight:8.50 in. (216 mm)Note: Depth 1 and Height 1 measured with the phone in the lowest position on the footstand. Depth 2 and Height 2 measured with the phone in the highest position on the footstand. ColorCharcoal or Ash Operating Environment Temperature 0B: C to 50B: C (32B: F to 122B: F)Relative Humidity5% to 95%Auxiliary Power (M3902 and M3904 only)Local Plug-in AC Transformer for cartridge-style accessoriesLoop Length4,000 ft (1,220 m) 24 AWGStandardsMeets or exceeds applicable CSA, UL, and EIA specifications. Complies with FCC requirements for hearing aid compatibility. Maximum handset volume control levels are compliant with the Americans with Disabilities Act (ADA).
12	NT9K16	Telephone Set (2616)	10	EA	Dimensions Width: 11.25 in. (286 mm) Depth 1: 7.75 in. (197 mm) Depth 2: 6.75 in. (171 mm) Height 1: 5.13 in. (130 mm) Height 2: 7.00 in. (178 mm) Weight: 2.38 lb (1.08 kg) Note: Depth 1 and Height 1 measured with the phone in the lowest position on the footstand. Depth 2 and Height 2 measured with the phone in the highest position on the footstand. Color=• Charcoal or Ash, Operating Environment =Temperature=• 0° C to 50° C (32° F to 122° F) Relative Humidity 5% to 95% Auxiliary Power (M3902 and M3904



PAKISTAN AERONAUTICAL COMPLEX
 3 A SYMBOL OF EXCELLENCE IN AVIATION
www.pac.org.pk



					only)Local Plug-in ACTransformer for cartridge-style accessoriesLoop Length4,000 ft (1,220 m) 24 AWG StandardsMeets or exceeds applicable CSA, UL, and EIA specifications. Complies with FCC requirements for hearing-aid compatibility. Maximum handset volume control levels are compliant with the Americans with Disabilities Act (ADA).
13	TELLOUS-32	Hydraulic Oil	627	LTR	TELLOUS-32 HYDRAULIC OIL , PSO,SHELL,TOTAL,TARJET,MOBILE
14	KP-323B	Shell Tona T32 Oil	418	LTR	Shell, Tellous,Total,PSO, Mobile
15	6635PK2340002	X-Ray Film 9x12cm	10	PKT	Fuji film, industrial x-ray film ,Envelopak 100+pb made japan
16	KRL1056A	Roll Cab Single Bank (08 Drawers red)	1	EA	See Specs at the end plz
17	6635PK2550005	X-Ray Film 18x24cm	4	PKT	Fuji film, industrial x-ray film ,Envelopak 100+pb
18	SMTT2200	UPS 1KVA	19	EA	Output power capacity:700watts/1.0kva,output voltage 220 to 230 V, Distortion: Less Than 5% at full load, output frequency(sync to main) :47-53 Hz for Hz nominal, 57-63 hz for 60 hz nominal, online,pure sine wave, LCD display 1.5 Hrs backup with maintenance free dry batteries.
19	MH7010	MOLY NUT HEX 1/4-20UNC	100	EA	Nut material Moly Length 1/4 inch
20	FB1315M	THERMOLYNE FURNACE	1	EA	Thermolyne 2000. made in USA
21	32C/598B	RUBBER MAT 1/4 INCH	400	KG	Thickness 1/4 inch, width 3 feet
22	695472008	DIFFUSION PUMP FLUID DC-702	6	GL	Dow corning DC-702, DIFFUSION PUMP FLUID DC-702
23	TROKUT-B	WATER EXTANDABLE CUTTING OIL(SHELL TROKUT-B)	200	LTR	Water extendable cutting oil,Milky white good corrsion protection for Mach/Med parts and machine.
24	PINNE1110103	HEATING ELEMENT	2	EA	Material: Moly, Width:57 inch, Thickness:0.1040 inch, Length:57 inch
25	1GS-1002OPT	8 PORT POE 12 SFP NETWORK SWITCH ALONG SFP MOULES	3	EA	Giga port manageable switch 8 Port poe + 02 SFP ports + 02 SFP modules and power supplies etc (allied)
26	61MH/2310PK30100 03	Honda CG 125 Motor Cycle	3	EA	Honda CG 125 Motor Cycle
27	1587	INSULATION METER(FLUKE)	1	EA	The meter measures the temprature of a type-K thermocouple



PAKISTAN AERONAUTICAL COMPLEX
4 A SYMBOL OF EXCELLENCE IN AVIATION
www.pac.org.pk



28	P-419	FIBER GLASS WITH SILICON ADHESIVE	96	ROL	Backing: glass cloth, Adhesive:Silicon, Backing thickness:0.004inch, Adhesive thickness 0.0003 inch, Adhesive(02 inch): Astm-d1000, max operating temprature:500F, color:white, width: 2inch
29	AMS6466	WELDING ROD	10	Lb	AMS6466
30	HPU-24C03E1	TOWER TYPE REVERSIBLE AIR CONDITIONER 02 TON	4	EA	Capacity: 02 Ton /24000 Btu/Hr, Type: Tower Reversible (DC inverter) Remote control: yes, country of origin: Japanese / European, Warranty: Standard as per OEM, installation will be carried out by vendor.
31	PMP1200	AIR PRESSURE TRANSDUCER 0-300PSIG+_5%	3	EA	See Specs at the end plz
32	33/836	TRICHLOROETHYLENE	600	KG	Chemical Formula;C2HCL3 DENSITY;1.45 TO 1.47/OM3 (0.0523 TO 0.0531 LB) APPEARANCE; COLOURLESS LIQUID IN STABILIZER FORM
33	RADIO SCOPY	RADIO SCOPY SYS 225 KV	1	Ea	Robot controller of radioscopy system stuck. Make & model=Fanuc robot series R-J3IB controller maint & operating manual available in shop.



PAKISTAN AERONAUTICAL COMPLEX
 5 A SYMBOL OF EXCELLENCE IN AVIATION 
www.pac.org.pk



TERMS & CONDITIONS:-

- (i) GST may be indicated separately. The envelopes must be marked with "Item's name and Commercial / Technical offer". Literature / brochures of equipment must be attached with technical offer.
- (ii) Quotations must be submitted in two copies for single line item i.e. one copy with technical details without price and one copy as commercial offer in one envelopes (no quotation will be accepted if it contains more than 01 item in a single quotation)
- (iii) Validity period should not be less than 90-120 days.
- (iv) Complete technical specifications, MSDS, OEM & Conformance Certificate, Calibration certificate, Fitness report where applicable are required. Sample of chemicals may be asked for test.
- (v) 05 % earnest money required in shape of CDR/BG.
- (vi) Quotation received after due date / time will not be entertained. The CFA reserves the right to accept / reject the part or whole tender.
- (vii) Professional Tax certificate, Punjab
- (vii) Quantity can be increased / decreased at the time of order as per our requirement.

Directorate of Logistics MRF, PAC Kamra
Contact No. 051-90994294 & 4414, Fax No. 057-9317412



1056A
 35" 8 Drawer
 Single Bank Roll
 Cab




Product Specifications Information:
 Cubic inches (cm³) 22,356 (366,350)
 Depth, inches (mm) 29-1/8 (739.7)
 Double Slide (included) Yes (1 drawer)
 Drawer Banks 1
 Height, inches (mm) 44-1/4 (1,123.9)
 Load Capacity, lb (kg) 3,600 (1,630)
 Net Weight, lb (kg) 396 (180)
 No. of Drawers 8
 Shipping Weight, lb (kg) 450 (204)
 Slides, lb (kg) (ball bearing) 227 (103)
 Square inches (cm²) 6,585 (42,484)
 Widest Drawer, inches (Qty.) 34
 Width, inches (mm) 35-5/8 (904.9)
 Work Surface Non-Directional Rubber
 Writing Surface (Qty.) No
 Country Of Origin USA
 Brand Snap-on



PAKISTAN AERONAUTICAL COMPLEX
 7 A SYMBOL OF EXCELLENCE IN AVIATION 
www.pac.org.pk





Part No: PMP1200

Noun: Transducer
(0-300 PSI_G)

(Signature)
(MUHAMMAD ANEEL)
Sqn Ldr
O/IC YEG Production
MRF PAC Kamra

yst
VE
6

: Re
lana

AS
mod
line
Ka

this