

**PAKISTAN AERONAUTICAL COMPLEX, KAMRA**  
**MIRAGE REBUILD FACTORY**  
**TENDER NOTICE NO MRF/18-19/11 DATED 30 NOVEMBER, 2018.**

1. Mirage Rebuild Factory, Pakistan Aeronautical Complex Board Kamra invites sealed bids from the Original manufacturer / authorized distributors / suppliers / contractor registered with Income Tax and Sales Tax Department and PACB registered for supply of following miscellaneous items on F.O.R Basis (Professional Tax certificate, Punjab is mandatory). Details of requirements is as follows:-

“EDDY CURRENT TESTER (WITH COMPLETE ACCESSORIES), DUROMETER O-RING HARDNESS KIT, DIGITAL MULTIMETER FLUKE 187, SPLIT AIR CONDITIONER 180 BTU, MOBILE WORK STAND, COMPOUND, ALUMINIUM BAR DIA 2 INCH, TN 600 TYPE 5 MM2/S(CENTIST OKE SYTHETIC OIL), SILVER BRAZE ROD DIA 1-1.5MM, HIGH TEMP MICA SHEET 1000X2400MM, RING GAUGE DIA 4 INCH, FRONT INSULATOR ASSY ARGON(2 HOLE). LUBRICATING OIL, INDOOR DROP FIBER OPTICAL CABLE, NISLIP, FORCE GAUGE DIGITAL, UNI.POWER SOURCE, POWER SHEARING MACHINE, POTASSIUM PER MAGNATE, PLASTIC BIN TROLLY, SMART TV 40 INCH OR HIGHER, PLASTIC BIN TROLLY, SMART TV 40 INCH OR HIGHER, GAS CYLINDER ARGON, CYLINDER ACETYLENE, CYLINDER HYDROGEN.

2. List of items can also be downloaded from PPRA website [www.ppra.org.pk](http://www.ppra.org.pk) and as well as PACB website [www.pac.org.pk](http://www.pac.org.pk) free of cost or can be collected from DTE of Log (LP Section) MRF PAC Kamra Distt Attock from 09-11-2018 during working hours (except holidays).

3. The quotations, prepared in accordance with the instruction in the Tender List, must reach at Mirage Rebuild Factory PACB Kamra **before 18-12-2018 at 1000 Hrs. Quotations will be opened on the same day at 1100 Hrs.** The advertisement is also available on PPRA website at [www.ppra.org.pk](http://www.ppra.org.pk) and as well as PACB website [www.pac.org.pk](http://www.pac.org.pk)

**DUE DATE : 18-12-2018 before 1000 Hrs.**  
**TENDER OPENING TIME : 18-12-2018 at 1100 Hrs.**

Please contact **Tele # 051-9099-4294 / 4414, 4417** or **Fax No 057-9317412** for any other information.

**DIRECTOR LOGISTICS**  
**MRF PACB KAMRA**  
**DISTT ATTOCK**



**LIST OF OPEN TENDER NO MRF/18-19/11  
DATED 30-11-2018 OPENING DATE 18-12-2018**

SN O	PART NO	NOUN	Qty	U/I	SPECIFICATION
1	NORTEC600D	EDDY CURRENT TESTER (WITH COMPLETE ACCESSORIES)	1	EA	See specs at the end plz
2	MODELOHK-DD-4	DUROMETER O-RING HARDNESS KIT	1	EA	See specs at the end plz
3	351-1212	DIGITAL MULTIMETER FLUKE 187	1	EA	See specs at the end plz
4	TS-C186KGA2	SPLIT AIR CONDITIONER 180 BTU	1	EA	SPLIT AIR CONDITIONER 180 BTU
5	35-9042	MOBILE WORK STAND	1	EA	820H X 510W X 700D mm drawers 100Hmm
6	PERMATEXNO.1372	COMPOUND	8	EA	NSN8030005997753 ,Permatex no -1372
7	7075T6	ALUMINIUM BAR DIA 2 INCH	10	FT	7075T6
8	MIL-L-23699	TN 600 TYPE 5 MM2/S(CENTIST OKE SYTHETIC OIL)	700	QT	NSN=9150014390756 MIL-L-23699
9	AMS4774	SILVER BRAZE ROD DIA 1-1.5MM	2	KG	AMS 4774
10	MICA7100.40MM	HIGH TEMP MICA SHEET 1000X2400MM	20	EA	MICA 710 THICKNESS 0.040MM DIMENSION 1000 X 2400MM
11	177-297	RING GAUGE DIA 4 INCH	1	EA	RANGE DIA 4 INCH
12	9MB50	FRONT INSULATOR ASSY ARGON(2 HOLE)	2	EA	FOR 9MB PLASMA SPRAY GUN
13	MIL-L-6081	LUBRICATING OIL	200	LT	MIL-L-6081
14	G657A	INDOOR DROP FIBER OPTICAL CABLE	4000	MTR	See specs at the end plz
15	NISLIP520A	NISLIP	12	GL	COMPANY LIFE STICKER ANDMANUFACTURING CERTIFICATE , AND MSDS REQUIRED



16	EFGMK11A	FORCE GAUGE DIGITAL	1	EA	RANGE 0 TO 100 N
17	71556312	UNI.POWER SOURCE	1	EA	CHARGING FAILURE. REQ REPAIRING
18	78251	POWER SHEARING MACHINE	1	EA	BEARING OF MAIN SHAFT BROKEN AND COMPLETE SERVICEABILITY OF MACHINE REQUIRED
19	6850PK1990006	POTASSIUM PER MAGNATE	500	KG	APPEARANCE : DARK PURPLE - VIOLET CRYSTAL COMPOSITION: ELEMENT KMN04 LIMITED IN WEIGHT 98% MINIMUM IMPURUITIES 0.05% MAXIMUM
20	5120PK2550007	PLASTIC BIN TROLLY	5	EA	PLASTIC BIN TROLLY
21	40J5200	SMART TV 40 INCH OR HIGHER	4	EA	FULL HD SMART TV 40 INCH OR HIGHER
22	71A/PAF-15	GAS CYLINDER ARGON	55	EA	CAPACITY 6.8NM3 ,PRESSURE 2000PSI
23	71A/9424181	CYLINDER ACETYLENE	5	CYL	CAPACITY 5.38 NM3 PRESSURE 2000PSI
24	71A/32	CYLINDER HYDROGEN	10	CYL	CAPACITY 5.9 NM3 PRESSURE 2000PSI


### TERMS & CONDITIONS:-

- (i) GST may be indicated separately. The envelops must be marked with "Item's name and Commercial / Technical offer". Literature / brochures of equipment must be attached with technical offer.
- (ii) Quotations must be submitted in two copies for single line item i.e. one copy with technical details without price and one copy as commercial offer in one envelops (no quotation will be accepted if it contains more than 01 item in a single quotation)
- (iii) Validity period should not be less than 90-120 days.
- (iv) Complete technical specifications, MSDS, OEM & Conformance Certificate, Calibration certificate, Fitness report where applicable are required. Sample of chemicals may be asked for test.
- (v) 05 % earnest money required in shape of CDR/BG in case of winning the tender.
- (vi) Quotation received after due date / time will not be entertained. The CFA reserves the right to accept / reject the part or whole tender.
- (vii) Professional Tax certificate, Punjab
- (vii) Quantity can be increased / decreased at the time of order as per our requirement.



**Directorate of Logistics MRF, PAC Kamra**  
**Contact No. 051-90994294 & 4414, Fax No. 057-9317412**



## EDDY CURRENT FLAW DETECTORS



Already exist



- Large, Crisp Daylight Readable Display
- User Friendly Interface and Ergonomic Lightweight Design
- Rotary Capabilities As Standard
- Industry Standard Probe Connectors
- Eight Hour Battery Life
- Rapid 2.5 hour charging time
- Two-Year Warranty
- Advanced Features 'Loop', 'Guides' and 'Auto-mix'

**E HER NDE**



**PAKISTAN AERONAUTICAL COMPLEX**  
4 A SYMBOL OF EXCELLENCE IN AVIATION

[www.pac.org.pk](http://www.pac.org.pk)



VANEX-9

054

# DUROMETER O-RING HARDNESS KIT

## Model OHK-DD-4

The Digital Complete O-Ring  
Hardness Kit is the most convenient  
and accurate way to perform  
repeatable hardness (durometer)  
testing on thin materials - as thin as  
.050".

### FEATURES

- Model DD-4-M  
Type M Durometer  
with Certification
- Model OS-3  
Dampened Operating Stand
- Model ORF-1  
O-Ring Fixture Kit
- Model TBK-A  
Type A/M Test Block Kit  
with Certification



جہاں تازہ کی انکار تازہ سے گزرو


**PAKISTAN AERONAUTICAL COMPLEX**  
5 A SYMBOL OF EXCELLENCE IN AVIATION

[www.pac.org.pk](http://www.pac.org.pk)



جہاں تازہ کی انکار تازہ سے گزرو

## G657A INDOOR DROP FIBER OPTIC CABLE



### Basic Info

Model NO.: GJXFDH-4B6A2	Strength Member: Non-Metal
Brand: Hongan or OEM	Installation: Indoor Cabling
Sheath Material: LSZH	Trademark: HONGAN
Fiber Type: G657A	Transport Package: Roll Add Box or Customized
Cable Type: Non Self-Supporting Ribbon Drop Cable	Specification: 2.0*4.0 mm
	Origin: China
	HS Code: 8544700000

### Product Description

type	GJXFDH fiber ribbon drop cable
core	4
gauge(mm)	2.0*4.0
weight (kg/km)	8.3
long-term tensile strength(N)	40
short-term tensile strength(N)	80
static bend radius(mm)	15
dynamic bend radius(mm)	30
standard	YD/T 1997.1-2014
feature	non metallic strength member FRP, fiber ribbon

*Handwritten signature and stamp.*



**PAKISTAN AERONAUTICAL COMPLEX**  
6A SYMBOL OF EXCELLENCE IN AVIATION

[www.pac.org.pk](http://www.pac.org.pk)

