

PAKISTAN AERONAUTICAL COMPLEX, KAMRA MIRAGE REBUILD FACTORY

TENDER NOTICE NO MRF/18-19/30 DATED 01 APRIL, 2019.

1. Mirage Rebuild Factory, Pakistan Aeronautical Complex Board Kamra invites sealed bids from the Original manufacturer / authorized distributors / suppliers / contractor registered with Income Tax and Sales Tax Department and PACB registered for supply of following miscellaneous items on F.O.R Basis (Professional Tax certificate, Punjab is mandatory). Details of requirements is as follows:-

CABLE REEL EXTENTION(50 M), SERVICE STATION CABINET, RADIAL ARM DRILLING (CHINA), HIGH BACK SEAT CREEPER, ESD STANDRED SUPPORT, GLOSS LIGHT GREEN EPOXY WITH ACTIVATOR C-1178, WET DRY SUPER SUCTION, GRIT ALUMINIUM OXIDE 120, BATTERY CHARGER(FERVE DUEL), BATTERY(TUDOR HEAVY) 12V 235AH/1300A (TEST BED), WORKSHOP STOOL, RUBBER SPL, TRANSISTOR INVERTER EPROM NO=5137 SUPPLY VOLTAGE=380Y CAPACITY=7.2KVA, LOURED PANNEL STORAGE RACK 9'X12'X4', LOURED PANNEL STORAGE RACK 12'X14'X4', LOURED PANNEL STORAGE RACK 12'X12'X4', LOURED PANNEL STORAGE RACK 12'X16'X4', BIN SMALL RED 260X230X150MM, BIN SMALL BLUE 250X220X140MM, BIN SMALL GREEN 240X210X130MM, BIN SMALL YELLOW 230X200X120MM, BIN STORAGE PLASTIC (LARGE), BIN STORAGE PLASTIC (XL), COVER LID BIN PLASTIC SMALL, COVER LID BIN PLASTIC LARGE, COVER LID BIN PLASTIC XL, DEVIDER FOR PLASTIC BIN, PULLING HEAD, PULLING HEAD, PULLING HEAD, GRIP SELECTOR GAUGE, SETTING GAUGE, MOLDED PLASTIC CASE, SERVICE KIT, AIR BLEEDER, TANK METALLIC WITH PVC LINING (3X3X3) FEET, D-16 RECTIFIER, STEEL CABLE (DIFFERENR DIA), ISO PROPYL ALCOHOL, ARMID DRY FABRIC CLOTH, CARBON DRY FABRIC CLOTH, CARBON DRY FABRIC CLOTH, HONEY COMB (03 DIFFERENT SIZE), ARMID DRY FABRIC CLOTH, CARBON DRY FABRIC CLOTH(DIFFEREN PT NO) AIR CONDITIONER 1.5 TON SPLIT UNIT, LUBRICATING OIL, SAFETY SHOE HEAVY DUTY(IMPACT RESISTANCE COMPRESSIVE STRENGTH), TEST RIG MACHINE, RUBBER MAT

2. List of items can also be downloaded from PPRA website www.ppra.org.pk and as well as PACB website www.pac.org.pk free of cost or can be collected from DTE of Log (LP Section) MRF PAC Kamra Distt Attock from 02-04-2019 during working hours (except holidays).

3. The quotations, prepared in accordance with the instruction in the Tender List, must reach at Mirage Rebuild Factory PACB Kamra **before 18-04-2019 at 1000 Hrs. Quotations will be opened on the same day at 1100 Hrs.** The advertisement is also available on PPRA website at www.ppra.org.pk and as well as PACB website www.pac.org.pk

DUE DATE : 17-04-2019 before 1000 Hrs.
TENDER OPENING TIME : 17-04-2019 at 1100 Hrs.

Please contact Tele # 051-9099-4294 / 4414, 4417 or Fax No 057-9317412 for any other information.

**DIRECTOR LOGISTICS
MRF PACB KAMRA
DISTT ATTOCK**



LIST OF OPEN TENDER NO MRF/18-19/30

DATED 01-04-2019 OPENING DATE 17-04-2019

SN O	PART NO	NOUN	U/I	Qty	SPECIFICATION
1	507-8556	CABLE REEL EXTENTION(50 M)	EA	13	High quality, robust cable reels with six sockets and mounted on a strong zinc plated steel stand, comfortable carrying handle and 40 to 50 meter wire.
2	2201-MS1	SERVICE STATION CABINET	EA	2	Vertical storage section. Storage surface arrea 1.8 m2. The bottom and the sides of the cabinet, the door linings, as well as the 2 additional shutters are perforated for hanging tools using CKS system. The two door leaves open to 180 degree for maximum visibily and accessibility. Drawer section. 2 fully-opening drawers with ball bearing slides. Effective drawer dimensions L 569x H 60mm x D 210mm. Central key locking of doors and drawers. Wall-mounted (through holes provided) or supported on the workbench. Dimensiions L 720 x H 1000mm. weight 40 to 50 kg.
3	50109	RADIAL ARM DRILLING (CHINA)	EA	1	Maintenance required .Machine speed and Radial is not working properly.
4	JCHP30A	HIGH BACK SEAT CREEPER	EA	28	High back seat creaper
5	877694	ESD STANDRED SUPPORT	EA	50	Five star based finished in a grey/green stove enamelled paint. Its covering is a hard wearing, grey dissipative cloth. Adjustable. Dimensions 460-580 mm
6	A-423-66-24670	GLOSS LIGHT GREEN EPOXY WITH ACTIVATOR C-1178	KIT	1	Gloss light green epoxy with activator C-1178
7	BF585-3	WET DRY SUPER SUCTION	EA	4	Capacity- 80 Ltr Power- 3000w Voltage- 220v-240v Height- 109 cm Tank diameter- 440mm Mode of cooling- recycle Air flow rate- 120 L/s Cable Length- 7.2m Hose diameter- 40mm

	<p>PAKISTAN AERONAUTICAL COMPLEX</p> <p>2 A SYMBOL OF EXCELLENCE IN AVIATION</p> <p>www.pac.org.pk</p>	
---	---	---

8	BLASTITENO120	GRIT ALUMINIUM OXIDE 120	LB	1000	Grit aluminium oxide 120
9	F-2330	BATTERY CHARGER(FERVE DUEL)	EA	2	Battery charger (Ferve duel)
10	TF2353	BATTERY(TUDOR HEAVY) 12V 235AH/1300A (TEST BED)	EA	4	Battery (TUDOR HEAVY) 12 V 235 AH/1300A (test bed)
11	35-8647	WORKSHOP STOOL	EA	20	Sealey pneumatic workshop stool SCR14 hieght - 730-860mm weight - 9 kg
12	32C/503	RUBBER SPL	FT	200	Colour - Blue Width - 3 Ft Length - 200Ft
13	437HASP11	TRANSISTOR INVERTER EPROM NO=5137 SUPPLY VOLTAGE=380Y CAPACITY=7.2KVA	EA	1	Transistor inverter EPROM No-5137 Supply Voltage-380Y Capacity - 7.2 KVA
14	7125/PK0010944	LOURED PANNEL STORAGE RACK 9'X12'X4'	EA	as req	SEE SPECS AT THE END PLZ
15	7125/PK0010945	LOURED PANNEL STORAGE RACK 12'X14'X4'	EA	as req	SEE SPECS AT THE END PLZ
16	7125/PK0010946	LOURED PANNEL STORAGE RACK 12'X12'X4'	EA	as req	SEE SPECS AT THE END PLZ
17	7125/PK0010947	LOURED PANNEL STORAGE RACK 12'X16'X4'	EA	as req	SEE SPECS AT THE END PLZ
18	9520PK0014165	BIN SMALL RED 260X230X150M	EA	as req	SEE SPECS AT THE END PLZ
19	9520PK0014166	BIN SMALL BLUE 250X220X140MM	EA	as req	SEE SPECS AT THE END PLZ
20	9520PK0014167	BIN SMALL GREEN 240X210X130MM	EA	as req	SEE SPECS AT THE END PLZ
21	9520PK0014168	BIN SMALL YELLOW 230X200X120MM	EA	as req	SEE SPECS AT THE END PLZ
22	7125/PK0009849	BIN STORAGE PLASTIC (LARGE)	EA	as req	SEE SPECS AT THE END PLZ
23	7125/PK0009852	BIN STORAGE PLASTIC (XL)	EA	as req	SEE SPECS AT THE END PLZ
24	7125/PK0012990	COVER LID BIN PLASTIC SMALL	EA	as req	SEE SPECS AT THE END PLZ
25	7125/PK0012991	COVER LID BIN PLASTIC LARGE	EA	as req	SEE SPECS AT THE END PLZ

	<p>PAKISTAN AERONAUTICAL COMPLEX</p> <p>3 A SYMBOL OF EXCELLENCE IN AVIATION</p> <p>www.pac.org.pk</p>	
---	---	---

26	7125/PK0012992	COVER LID BIN PLASTIC XL	EA	as req	SEE SPECS AT THE END PLZ
27	7125/PK0012985	DEVIDER FOR PLASTIC BIN	EA	as req	SEE SPECS AT THE END PLZ
28	H-681-4C	PULLING HEAD	EA	6	ACCESSORY OF CHERRY RIVETING GUN G784
29	H-681-5C	PULLING HEAD	EA	6	ACCESSORY OF CHERRY RIVETING GUN G784
30	H-681-6C	PULLING HEAD	EA	6	ACCESSORY OF CHERRY RIVETING GUN G784
31	296C3	GRIP SELECTOR GAUGE	EA	6	ACCESSORY OF CHERRY RIVETING GUN G784
32	680A159	SETTING GAUGE	EA	6	ACCESSORY OF CHERRY RIVETING GUN G784
33	P1395	MOLDED PLASTIC CASE	EA	6	ACCESSORY OF CHERRY RIVETING GUN G784
34	G784KS	SERVICE KIT	EA	6	ACCESSORY OF CHERRY RIVETING GUN G784
35	700A78	AIR BLEEDER	EA	6	ACCESSORY OF CHERRY RIVETING GUN G784
36	4F/PTR4920B	TANK METALLIC WITH PVC LINING (3X3X3) FEET	EA	2	Maintenance required complete removal of old PVC lining and pasting of new PVC lining along with installation on positioning placed
37	RG-60	D-16 RECTIFIER	EA	2	Output 0-300A,0-10VDC, input supply AC 380V $\pm 10\%$ 3 Phase ,Frequency 50 HZ $\pm 3\%$, rectification:Full wave rectification, cooling ,forced air cool system, plc control,efficiency >90%, Regulation 0-100%, ripple:<3%, short circuit and overload protection, made European / USA, Cycle 24 hrs duty cycle,ripple filter. operating switchology:Touch screen
38	30NCD16TSDIA4.2M M	STEEL CABLE	KG	25	STEEL CABLE 4.2mm, material (30ncd)
39	30NCD16TSDIA5.2M M	STEEL CABLE	KG	25	STEEL CABLE 5.2mm, material (30ncd)
40	30NCD16TSDIA4.9M M	STEEL CABLE	KG	25	STEEL CABLE 4.9mm, material (30ncd)
41	30NCD16TSDIA5.8M M	STEEL CABLE	KG	25	STEEL CABLE 5.8mm, material (30ncd)
42	35NC6DIA5.2MM	STEEL CABLE	KG	25	STEEL CABLE 5.2mm, material (35ncd)
43	35NC6DIA4.2MM	STEEL CABLE	KG	25	STEEL CABLE 4.2mm, material (35ncd)
44	35NC6DIA4.9MM	STEEL CABLE	KG	25	STEEL CABLE 4.9mm, material (35ncd)



45	35NC6DIA4.84MM	STEEL CABLE	KG	25	STEEL CABLE 4.8mm, material (35ncd)
46	35NC6DIA7.8MM	STEEL CABLE	KG	25	STEEL CABLE 7.8mm, material (35ncd)
47	093-997-032-2	ISO PROPYL ALCOHOL	LTR	50	P0442. Colourless Liquid free from solid impurities in suspension.,0.785 to 0.788 KG/ DM3 (0.0284 to 0.0285 LB/cu.in) flash point (closed crucible);12 degC (54 deg F)
48	C926	ARMID DRY FABRIC CLOTH	MTR	30	ARMID DRY FABRIC CLOTH C926
49	C480	CARBON DRY FABRIC CLOTH	MTR	30	CARBON DRY FABRIC CLOTH C480
50	C932	CARBON DRY FABRIC CLOTH	MTR	30	CARBON DRY FABRIC CLOTH C932
51	C561	HONEY COMB	EA	50	HONEY COMB C561
52	C481	HONEY COMB	EA	50	HONEY COMB C481
53	C933	HONEY COMB	EA	50	HONEY COMB C933
54	C555	ARMID DRY FABRIC CLOTH	MTR	30	ARMID DRY FABRIC CLOTH C555
55	C479	CARBON DRY FABRIC CLOTH	MTR	30	CARBON DRY FABRIC CLOTH C479
56	C927	CARBON DRY FABRIC CLOTH	MTR	30	CARBON DRY FABRIC CLOTH C927
57	C929	CARBON DRY FABRIC CLOTH	MTR	30	CARBON DRY FABRIC CLOTH C929
58	C557	CARBON DRY FABRIC CLOTH	MTR	30	CARBON DRY FABRIC CLOTH C557
59	C931	CARBON DRY FABRIC CLOTH	MTR	30	CARBON DRY FABRIC CLOTH C931
60	C923	ARMID DRY FABRIC CLOTH	MTR	30	ARMID DRY FABRIC CLOTH C923
61	C925	ARMID DRY FABRIC CLOTH	MTR	30	ARMID DRY FABRIC CLOTH C925
62	C930	CARBON DRY FABRIC CLOTH	MTR	30	CARBON DRY FABRIC CLOTH C930
63	4120PK2210001	AIR CONDITIONER 1.5 TON SPLIT UNIT	EA	13	DC INVERTER, HEATING AND COOLING ,1.5 TON, REFRIGERANT R410A,NIGHT AUTO AND DRY MODE,
64	MIL-PRF-7808	LUBRICATING OIL	LTR	200	Specific gravity; 0.95, boiling point >450 deg F, >232 deg C, solubility in water <1.0% ,apperance: low viscosity light colour liquid mild door.

	<p>PAKISTAN AERONAUTICAL COMPLEX</p> <p>5 A SYMBOL OF EXCELLENCE IN AVIATION </p> <p>www.pac.org.pk</p>	
---	---	---

65	X1100N	SAFETY SHOE HEAVY DUTY(IMPACT RESISTANCE COMPRESSIVE STRENGTH)	PR	AS REQ	SAFETY SHOE HEAVY DUTY(IMPACT RESISTANCE COMPRESSIVE STRENGTH)
66	RSP-951	TEST RIG MACHINE	EA	1	Repair req ; replacement of items filter 10 u 01 , filter element 30u-01, filter element fuel 30u-01, filter element 50u-01, filter element30u-01, filter element 5u-01, variable speed motor-02
67	32C/598L	RUBBER MAT	KG	300	RUBBER MAT

TERMS & CONDITIONS:-

- (i) GST may be indicated separately. The envelopes must be marked with "Item's name and Commercial / Technical offer". Literature / brochures of equipment must be attached with technical offer.
- (ii) Quotations must be submitted in two copies for single line item i.e. one copy with technical details without price and one copy as commercial offer in one envelopes (no quotation will be accepted if it contains more than 01 item in a single quotation)
- (iii) Validity period should not be less than 90-120 days.
- (iv) Complete technical specifications, MSDS, OEM & Conformance Certificate, Calibration certificate, Fitness report where applicable are required. Sample of chemicals may be asked for test.
- (v) 05 % earnest money required in shape of CDR/BG in case of winning the tender.
- (vi) Quotation received after due date / time will not be entertained. The CFA reserves the right to accept / reject the part or whole tender.
- (vii) Professional Tax certificate, Punjab
- (vii) Quantity can be increased / decreased at the time of order as per our requirement.

Directorate of Logistics MRF, PAC Kamra
Contact No. 051-90994294 & 4414, Fax No. 057-9317412





PAKISTAN AERONAUTICAL COMPLEX
7A SYMBOL OF EXCELLENCE IN AVIATION 
www.pac.org.pk

