

PAKISTAN AERONAUTICAL COMPLEX, KAMRA MIRAGE REBUILD FACTORY TENDER NOTICE NO MRF/18-19/36 DATED 23 APRIL, 2019.

1. Mirage Rebuild Factory, Pakistan Aeronautical Complex Board Kamra invites sealed bids from the Original manufacturer / authorized distributors / suppliers / contractor registered with Income Tax and Sales Tax Department and PACB registered for supply of following miscellaneous items on F.O.R Basis (Professional Tax certificate, Punjab is mandatory). Details of requirements is as follows:-

“WORKSTATION, WORKLINE FRAMWORK BENCH, X RAY BAGGAGE MACHINE”

2. List of items can also be downloaded from PPRA website www.ppra.org.pk and as well as PACB website www.pac.org.pk free of cost or can be collected from DTE of Log (LP Section) MRF PAC Kamra Distt Attock from 24-04-2019 during working hours (except holidays).

3. The quotations, prepared in accordance with the instruction in the Tender List, must reach at Mirage Rebuild Factory PACB Kamra **before 09-05-2019 at 1000 Hrs. Quotations will be opened on the same day at 1100 Hrs.** The advertisement is also available on PPRA website at www.ppra.org.pk and as well as PACB website www.pac.org.pk

DUE DATE : 09-05-2019 before 1000 Hrs.
TENDER OPENING TIME : 09-05-2019 at 1100 Hrs.

Please contact **Tele # 051-9099-4294 / 4414, 4417** or **Fax No 057-9317412** for any other information.

**DIRECTOR LOGISTICS
MRF PACB KAMRA
DISTT ATTOCK**

**Directorate of Logistics MRF, PAC Kamra
Contact No. 051-90994294, 4414 & 4417, Fax No. 057-9317412**



**LIST OF OPEN TENDER NO MRF/18-19/36
DATED 23-04-2019 OPENING DATE 09-05-2019**

SN O	PART NO	NOUN	Qty	U/I	SPECIFICATION
1	5510PK/WOR KSTATION	WORKSTATION	09	EA	<p>(1) : WORK STATION IS REQUIRED TO BE SPECIALLY DESIGNED FOR UTILITY AS BRIEFING DESK FOR WORKSHOPS AND RAMP MAINTENANCE THROUGH FABRICATION PROCESS INCORPORATING ERGONOMIC DESIGN. WORKSTATION MUST INCLUDE CUSTOMIZED STORAGE (DRAWERS / CABINETS) PORTION ON BOTH SIDES OF THE WORK STATION. WHICH WILL BE USE FOR INSTALLATION OF ERP STATIONS COMPUTER AND STORAGE OF TOs, FOLDERS AND FILES.</p> <p>(2) : COMPLETE BENCH WILL BE MADE OF STAINLESS STEEL MATERIAL OR EQUIVALENT MATERIAL.</p> <p>(3) : MATERIAL SHOULD BE TEMPERATURE AND WATER RESISTANT, RUST PROOF ALONG WITH SCRATCH RESISTANCE SURFACE FINISHES EASY TO CLEAN AND MAINTAIN.</p> <p>(4) :DIMENSIONS OF THE WORK STATION ARE LxHxW (84X48X30) INCHES. DIMENSIONS MAY DIFFER SLIGHTLY TO CATER THE CUSTOMIZED DESIGN.</p> <p>(5) : A RUBBER MATTING OF 5MM THICKNESS (DOUBLE SIDE SURFACE FINISH) SHOULD BE PLACED ON TOP AND INSIDE STORAGE CABINET/DRAWERS OF THE WORK STATION. RUBBER MAT COLOUR WILL BE AS PER USER REQUIREMENT.</p> <p>(6) : 05 CHAIRS ARMS CHAIRS (01 FOR SUPERVISOR 04 FOR STAFF) WITH EACH WORKSTATION MUST BE PROVIDED. CHAIR MUST BE OF MAINTENANCE WORK FLOOR UTILITY INSTEAD OF OFFICE CHAIR.</p> <p>(7) : LOCKING MECHANISM AND HANDLE MUST BE INSTALLED FOR ALL STORAGE DRAWERS, CABINET AND TRAYS. WORK STATION MUST BE DESIGNED INCORPORATING KEYBOARD SLIDING TRAY AND CONCEALED CABLES HOLES FOR COMPUTER.</p> <p>(8) : RUBBER BOOTINGMUST BE INSTALLED WITH SUPPORTING LEGS OF THE BENCH AS WELL AS WITH CHAIRS.</p> <p>(9) : COLOUR OF WORK STATION WILL BE AS PER REQUIREMENT AND CHOICE.</p> <p>(10) : FRONT DESK TO BE INSTALLED WITH MRF AIRCRAFT O/H GROUP EMBLEM.</p> <p>(11) : WORK STATION MUST BE FITTED WITH CONCEALED ELECTRICAL BOARD WITH FOLLOWING</p>



PAKISTAN AERONAUTICAL COMPLEX
 2 A SYMBOL OF EXCELLENCE IN AVIATION 
www.pac.org.pk



					<p>SPECIFICATIONS((A). FACEPLATE WITH IOs qty 02 for Ethernet cable , (B). rozzi socket for telephone /intercom qty 02 , (C) universal power socket qty 05 , (D) SWITCHES QTY 05) ,</p> <p>(12) : FOR FURTHER CLARIFICATION OF DESIGN AND SPECIFICATIONS REQUIREMENT MAY BE CONSULT WITH USER AGENCY . EQUIPMENT OF COMPATIBLE SPECS PROVIDED TO PAF/ PAC MAY BE MENTIONED IN TECHNICAL QUOTATION FOR REFERENCE.</p>
2	35-9436	WORKLINE FRAMWORK BENCH	19	EA	<p>1: WORK STATION IS REQUIRED TO BE SPECIALLY DESIGNED FOR UTILITY AS MAINTENANCE DESK FOR WORKSHOPS AND RAMP MAINTENANCE THROUGH FABRICATION PROCESS INCORPORATING ERGONOMIC DESIGN. WORKSTATION MUST INCLUDE CUSTOMIZED STORAGE (DRAWERS / CABINETS) PORTION ON BOTH SIDES OF THE WORK STATION.</p> <p>2: COMPLETE BENCH WILL BE MADE OF STAINLESS STEEL MATERIAL OR EQUIVALENT MATERIAL. MATERIAL SHOULD BE TEMPERATURE AND WATER RESISTANT, RUST PROOF ALONG WITH SCRATCH RESISTANCE SURFACE FINISHES EASY TO CLEAN AND MAINTAIN.</p> <p>3: DIMENSIONS OF BENCH ARE 96X48X48 INCHES (LxWxH). DIMENSIONS MAY DIFFER SLIGHTLY TO CATER THE CUSTOMIZE DESIGN.</p> <p>4: HEAVY DUTY WORKING TOP SHOULD BE MADE OF AT LEAST 2"X2" IN 20 GAUGE SHEET AND ACT AS MAIN FRAME. AS WELL BOTTOM OF THE TABLE SHOULD BE HARD AND THICK WHICH WILL BE USED FOR PLACING OF HEAVY AND CRITICAL NATURE ITEM/ COMPONENTS.</p> <p>5: A RUBBER MATTING OF 5MM THICKNESS (DOUBLE SIDE SURFACE FINISH) SHOULD BE PLACED ON TOP AND INSIDE STORAGE CABINET/ DRAWERS OF THE WORK STATION. RUBBER MATT COLOUR WILL BE AS PER USER REQUIREMENT.</p> <p>6 : RUBBER BOOTING WITH ALL SUPPORTING LEGS OF THE BENCH .</p> <p>7: LOCKING MECHANISM AND HANDLE MUST BE INSTALLED FOR ALL STORAGE DRAWERS, CABINET AND TRAYS.</p> <p>8: COLOUR WILL BE AS PER REQUIREMENT AND CHOICE.</p> <p>9: FOR FURTHER CLARIFICATION OF DESIGN AND SPECIFICATIONS REQUIREMENT MAY BE CONSULT WITH USER AGENCY. EQUIPMENT OF COMPATIBLE SPECS PROVIDED TO PAF /PAC MAY BE MENTIONED IN TECHNICAL QUOTATION FOR REFERENCE.</p>



PAKISTAN AERONAUTICAL COMPLEX
 3 A SYMBOL OF EXCELLENCE IN AVIATION
www.pac.org.pk



3	5860PK29200 01	X RAY BAGGAGE MACHINE	01	EA	TYPE: HI-SCAN 6040I (SMITHS) OR EQUIVALENT, DIMENSION: 620(W) X 418(H)(MM) X *24.4(W) X 16.5(H), OBJECT SIZE: 615W X 410H(MM) X *24.2(W) X 16.54(H), CONVEYOR HEIGHT: APPROX 694MM (27.3"), CONVEYOR SPEED AT MAINS FREQUENCY: APPROX 694MM (27.3"), MAX CONVEYOR LOAD EVEN DISTRIBUTED THE WHOLE CONVEYOR 160KG (352LBS), RESOLUTION (WIRE DELECTABILITY): STANDARD 38AWG (0.1MM) TYPICAL 39AWG (0.09MM), PENETRATION (STEEL) STANDARD 27MM* TYPICAL 30MM, X-RAY DOSE/INSPECTIN (TYPICAL): STANDARD 0.7 USV (0.07MREM)* WITH HI-MAT : 1.6 USV (0.14MREM), FILM SAFETY: GUARANTED UP TO ISO 1600 (33DN), DUTY CYCLE: 100% NO WARM UP PROCEDURE REQUIRED, ANODE VOLTAGE - COOLING: 140KV HERNITIONALLY SEATED OIL BATH, BEEM DIRECTION: DIAGONAL, W-RAY CONVERTED L-SHAPED DETECTOR LINE, GREY LEVEL STORED: 4096, IMAGE PRESENTATION : B/W, COLOUR, VIDEO MEMORY: 1280X1024/24BIT, IMAGE EVALUATION FUNTIONS: VARI-MAT, 02, OS, HIGH, ELECTRONIC ZOOM: ENLARGEMENT 2-, 3-, 4, ... 16 TIMES
---	-------------------	-----------------------------	----	----	--

TERMS & CONDITIONS:-

- (i) GST may be indicated separately. The envelopes must be marked with "Item's name and Commercial / Technical offer". Literature / brochures of equipment must be attached with technical offer.
- (ii) Quotations must be submitted in two copies for single line item i.e. one copy with technical details without price and one copy as commercial offer in one envelopes (no quotation will be accepted if it contains more than 01 item in a single quotation)
- (iii) Validity period should not be less than 90-120 days.
- (iv) Complete technical specifications, MSDS, OEM & Conformance Certificate, Calibration certificate, Fitness report where applicable are required. Sample of chemicals may be asked for test.
- (v) 05 % earnest money required in shape of CDR/BG.
- (vi) Quotation received after due date / time will not be entertained. The CFA reserves the right to accept / reject the part or whole tender.
- (vii) Professional Tax certificate, Punjab
- (viii) Quantity can be increased / decreased at the time of order as per our requirement.
- (IX) All quoted items / Tools must be Original / Branded and accompanied with OEM conformance and originality certificate

Directorate of Logistics MRF, PAC Kamra

Contact No. 051-90994294, 4414 & 4417, Fax No. 057-9317412

