

OPENING ON 28-01-2019
ARF/1169/T/PC-13/LOG Dated 10-01-2019.

Organization Name	Pakistan Aeronautical Complex
Address	Aircraft Rebuild Factory PAC, Kamra
City	Kamra
Tel No.	051-90992442
Terms & Conditions	<p>1. Quotations will be opened on 28 January, 2019 at 11:00 Hrs by the committee in the presence of the interested bidders, or their authorized representatives.</p> <p>2. Quotation must be typed. Hand written / Conditional quotation will not be accepted.</p> <p>3. Separate sealed technical quotes and Commercial quotes both must be deposited in 2 separate envelopes clearly marked with category. Rates should be quoted both in words and figures clearly at commercial quotes with unit price. There should be no mixing of rates and quotations (Technical quotations with Commercial quotations). More than one quotation in one envelop will be rejected.</p> <p>5. Income tax, sales tax and professional tax certificates duly attested by the concerned authority must be attached with quotations.</p> <p>6. All the rates must be valid till 30 June, 2019 otherwise quotation will not be entertained. Besides, offered rates in commercial quotes should be marked without GST. Taxes will be imposed as per Govt policies and directives issued from time to time.</p> <p>7. In case of chemicals COC (Certificate of Conformance), MSDS (Material Safety Data Sheet) and TDS (Technical Data Sheet) has to be provided along with commercial quote and material must bear a minimum of 02 Years life expiry period.</p> <p>8. The bidder must have a branch office with valid Telephone and fax facility.</p> <p>9. Sample where applicable has to be provided by the firm for technical vetting.</p> <p>10. Category wise list is available in the office of O i/c Local Purchase and can be collected during working days from 0900-1200 hours. Besides, any clarification (if required) pertaining to specifications / terms & Conditions can be sort at Tel 051-9099000 Ext 2442.</p> <p>11. The quantities as mentioned in the lists are tentative and may vary (increase or decrease) with respect to the requirement at the time of placement of Purchase Order.</p> <p>12. The procuring agency may reject all bids/proposals or bid/proposal pertaining to a specific supplier at any time prior to tender opening. The procuring agency upon request of supplier / Vendor / Contractor will communicate the reason for rejection of quotations.</p> <p>13. All payments against delivery of stores will be made through cheque only.</p> <p>14. Tenders are to be addressed to Director Logistics, Aircraft Rebuild Factory PAC Kamra. Tenders received through fax shall not be accepted.</p> <p>15. Firms not registered with PAC Board are required to deposit 5% earnest money along with the quotation.</p> <p>16. Delivery must be made within stipulated delivery period as per quotation after receipt of purchase order.</p> <p>17. Firm should be on ATL of FBR and will provide proof with quotation. Order should be placed and subsequently payment would be released to the firm which is on ATL of FBR</p>
Closing Time	10:30:00 AM
Opening Time	11:00:00 AM
Bid Validity	30/06/2019
Remarks	ARF PAC KAMRA

S NO	PT NO	NOUN	U/I	QTY
CATEGORY-01 JF-17 MRO				
01	6810-68-900-0917	RUBBER LIQUID Q98-1	KG	11
02	4720-68-900-0225	COROGATED PIPE HCTE-0281	MTR	16
03	GZ05-FC1-02021-0STR3	RADAR SUPPORTING DOLLY	EA	7
04	GZ05-FC1-02021-0-HFLD2	RADOM DOLLY	EA	3
05	GZ05-FC1-31003-0-HFLD1	ELEVATOR TRANSPORT DOLLY	EA	7
06	GZ05-FC1-30003-0HFLD3	VERTICAL TAIL FIXTURE	EA	7
07	GZ04-JS7-64001-0TF1	JET NOZZAL HYDRAULIC DEVICE ADOPTER	EA	3
08	SLDS7	GROUND RUN CHOCK	EA	2
09	Oct-38	MAGNIFIER STANDARD ROUND STYLE	EA	4
10	GZ04-FC1-55000-0TF1	HYD SYS CLEANING KIT	EA	1
11	GZ05-FC1-68081-0WS2	WORKING LADDER Specifications: Dimension 1200x1400x1400, Material Aluminum, Step 03(LXW=2.5'X10"), Wheel 02 Coster.	EA	8
12	FC1B-B/CJT-1	COCKPIT SERVICE LADDER Specifications: Dimension 10x2', Material Aluminum, Step 07 (LXW=1'X0.5"), Wheel 02 Coster, Handle Grip 02, Rubber Boot 04.	EA	2
13	JF17-99009-0	PILOT LADDER Specifications: Dimension 7x2', Material Aluminum, Step 07 (LXW=1'X0.5"), Wheel 02 Coster, Handle Grip 02, Rubber Boot 06. Supporting Legs 02(L=3.5')	EA	10
CATEGORY-02 GOH JF-17				
01	3A120/J10-730	FINE REAMER (#10)	EA	2
02	EN-60292	SEMCO MODEL 250-A PNEUMATIC SEALANT GUN Specifications: Working pressure, 1000 PSI	EA	2
03	3A116/FC1-05815X150	COUNTER SUNK 13" LONG	EA	10
04	FC1-6115/37-234	COUNTERSUNK DRILL 10" LONG (4X120)	EA	20
05	FC1-6115/37-235	COUNTER SUNK 3X120 10" LONG	EA	10
06	3A 116/J10-344-08-08	COUNTER SUNK 3.5X120 34MM LONG	EA	10
07	3A 116/J10-344-08-09	COUNTERSUNK 4X120 4" LONG	EA	10
08	3A 116/J10-344-08-10	COUNTERSUNK 3.5X120 4" LONG	EA	10
09	3A 101/J10-02161-0	LONG DRILL 5.1MM 300 LONG	EA	20
10	3A 101/J10-267	LONG DRILL 3.5MM 300MM LONG	EA	20
11	C652-73317-35-060-GT-USA	LONG DRILL 4MM 150MM LONG	EA	20
12	5130-68-900-0041	PNEUMATIC BRACE 45 ANGLE Specifications: Working pressure, 75-90 PSI	EA	3
13	3A 126/J10-148	FINE REAMMER	EA	5
14	3A 126/J10-147	COARSE REAMMER	EA	5
15	3A 126/J10-145	COARSE REAMMER.	EA	5
16	3A 022/J10-263	FILLER GUAGE	EA	5
17	3A-126/J10-146	COARSE REAMMER..	EA	5
18	744C75	GRIPPER HEAD	EA	5

**Open
Tender**

19	3A/J10-163	REAMMER	EA	10
20	D33-LF-1800C	ANGULAR BRACE Specification: Working pressure, 75-90 PSI	EA	3
21	AC31120FWMP	FLAP WHEELS	EA	5
22	AC10302FWMP	FLAP WHEELS 1/2 "	EA	5
23	AC10302FWMP	FLAP WHEELS 1/4"	EA	5
24	AC2Z40T27MP	FLAP DISK	EA	5
25	U55103	SCRAPPER SET	EA	2 SET
26	AT465B	5" SANDER COMPACT ANGLE	EA	02 PAC K
27	118313-5M	RIVETER HEAD FLASH HEAD	EA	5
28	118313-5M	RIVETER HEAD PROTRUDING HEAD	EA	5
29	652-041	FRONT END	EA	5
30	G83	RIVETER	EA	5
31	4546720	SPARE KNIFE HEAD FOR BOLT CUTTER (GEDORE)	EA	1
32	4730-68-600-2163	QUICK AIR CONNECTOR COUPLING	EA	10
33	5110-68-600-1807	BASTERED FLATE FILE 300mm	EA	2
34	5110-68-600-1811	FILE FLAT MED 200MM	EA	2
35	5110-68-600-1857	FILE MED ROUND 200MM	EA	2
36	5110-68-600-1858	FILE FLAT MED 250MM	EA	2
37	5110-68-600-1882	FILE ALUMINIUM 300mm	EA	2
38	5110-68-600-0046	FILE HANDLE WOODEN 22X90	EA	10
39	5136-68-600-0661	HAND TAP M5	EA	2
40	5136-68-600-0662	HAND TAP M6	EA	2
41	5345-68-600-1610	EMERY WHEEL 200X25X32	EA	5
42	5345-68-900-0052	PNEUMATIC GRINDER WHEEL 100X25X10	EA	2
43	Q/5A-462-78-11.15	REVETTING DRAW SET	EA	1
44	5110-68-900-0339	EASY OUT TOOL (SMALL)	EA	1
45	5110-68-900-0340	EASY OUT TOOL (LARGE)	EA	1
46	5120-00-550-9256	GRIP PLIER 10"	EA	2
47	5965011281410	HEADSET MICRO PHONE	EA	8
CATEGORY-03 ARMAMENT SQUADRON				
1	P4515	ACTUATOR / PUMP ASSY Specifications: Loading Capacity 2500 Lbs, Pressure 500 Bar, Actuator Rod Dia 80mm, Bore Dia 90mm, Recommended oil Shel-68 Telus /OM-15, Temp Range - 20 to °c, Warranty period Min 2 Years, Delivery Period within 30 days. Physical Parts = Pump Housing, Cylinder assy, Piston Assy, Pump Mounting Bracket, Union, Coupling, Release Lever, Cap Housing, Pump Handle, Pumping Lever, Pump Cylinder assy Cap, Valve assy x 02.	EA	08

CATEGORY-04 PAC WPNS ENGG FLT

1	MIL-PRF-680	CLEANING SOLVENT II Specification: Application : for cleaning of small and large Arms (Weapons), Soil Remover : Carbon, Grease, Rust, Particular Matters, Additional : Interim corrosion protection and water displacements, ODOR: Low odor Non residual, Non-Hazardous solvent, Flash Point 144°F (62°C), Soil Cleaning %: 86%, Vapor pressure mhg@20C: 0.49, Aromatic content lower, limited % carcinogenic and toxic chemical	GAL	25
---	-------------	---	-----	----

CATEGORY-05 HARNESS SHOP

1	TMS-101-RIBBON-4RPSCE	LABELER	EA	17
---	-----------------------	----------------	----	----

CATEGORY-06 FORGING AND CASTING SHOP

1	ZL-105	AL ALLOY CASTING (Biller / Ingots)	KG	75
2	18CRNI4WA-120MM	STEEL ROD (Rod Dia 120 mm)	KG	25
3	25CR3MOA-120MM	STEEL ROD (Rod Dia 120 mm)	KG	25

CATEGORY-07 PROVOST SQN

1	DS-2DY3220/W/33201W-D/04	FIX CAMERA Specifications: 2-5 Mega pixel (1920x1080), Full HD (1080p) resolution adjustable frame rate, upto 100 feet IR visual distance in Pitch Dark, Video authentication : MD5/SHA-1/SHA-256, Automatic varifocal 2.7 to 12mm, DCLris F1.4-360, IR Corrected, H2644 & MJPEG dual coedec, Multi-crop streaming, simple focus, Face/Motion/Audio Detection, UPnP auto port forwarding. Dynamic range 76dB, Dfog, Network protocol IPv4/6-TCP/IP, UDP, HTTP, HTTPS, RTP, RTSP, DHCP, ICMP, FTP,SMTP,iSCSI, APIPA, NTP, ARP, SNMPy1/y2C/V3, DDNS, UPNP, CHAP, Web Viewer Internet exploer, google chorme, firefox, Audio in-out, Alarm in-out, Motion Detection, Totaly weatherproof IP-66, Impact protection, IK08, POE, 24V AC, 12 V DC support, Outdoor housing and Bracket included.	EA	2
---	--------------------------	--	----	---

CATEGORY-08 AvDI

1	7430-68-900-0747	DELL OPTIPLEX 9020MT CI7 WITH LED MONITOR (27")	EA	1
---	------------------	--	----	---

CATEGORY-09 HEAT AND SURFACE TREATMENT SHOP

1	6650-68-900-0034	BORE SCOPE Specification: Required to be used for Internal Inspection of Oxygen / Air Bottle after Phosohorizing process.	EA	1
---	------------------	---	----	---

CATEGORY-10 SUPPORT METAL SHOP

1	9520-68-900-0063	CHANNEL STEEL 100X50X6MM	KG	1380
2	9520-68-900-0054	CHANNEL STEEL 75x38	KG	960
3	4710-68-900-0167	RECTANGLE PIPE2"X1"	MTR	34

CATEGORY-11 ARG

1		Repair of KARCHER FLOOR CLEANING MACHINE BR 750 Scope of Work: Machine needs to be repaired by ensuring serviceability of following unserviceable parts:- i. Traction Motor BR 750 1.000 ii. Drain Hose DN38 1.000 ST iii. Suction Hose Complete 1.000 iv. Rubber Lip Set Standard. v. Roller Brush Red 2.000 vi. Rubber Lip set Oil resistant. vii. Splash guard reinforced.	EA	1
2		KARCHER FLOOR CLEANING MACHINE BR65 (Local Repair) Scope of Work: Machine needs to be repaired by ensuring serviceability of following unserviceable parts:- i. Roller brush RED BR65 2.000	EA	1

CATEGORY-12 ARF (COMPUTERS)

1	7430-68-900-0736	<p>Computer Branded I-7 Specifications: i. Processor : Core-i7 ii. Mother Board : compatible iii. Ram : 8GB iv. Hard Disk : 1 TB v. Display : LED 20" vi. Key Board : Branded vii. Mouse : Branded viii. Casing : Branded ix. Surge Protector : APC/ Reputed Brand</p>	EA	As Req
---	------------------	---	----	--------

CATEGORY-13 (DTE OF PRODUCTION DEV)

1		<p>Metal Dyes</p> <table border="1"> <thead> <tr> <th data-bbox="662 499 882 584">Seal Outer Diameter (D) mm</th> <th data-bbox="882 499 1102 584">Seal Inner Diameter (D) mm</th> <th data-bbox="1102 499 1233 584">Angle</th> </tr> </thead> <tbody> <tr> <td>13</td> <td>1.5</td> <td rowspan="6">Standard</td> </tr> <tr> <td>22</td> <td>3</td> </tr> <tr> <td>3.7</td> <td>1.8</td> </tr> <tr> <td>3.7</td> <td>1.5</td> </tr> <tr> <td>6.6</td> <td>1.8</td> </tr> <tr> <td>7.4</td> <td>2</td> </tr> <tr> <td colspan="3" data-bbox="662 757 1102 786">14.15x5.8x1.5</td> </tr> <tr> <td>35.5</td> <td>3</td> <td rowspan="3">45°</td> </tr> <tr> <td>36</td> <td>3.6</td> </tr> <tr> <td>6</td> <td>2.5</td> </tr> </tbody> </table>	Seal Outer Diameter (D) mm	Seal Inner Diameter (D) mm	Angle	13	1.5	Standard	22	3	3.7	1.8	3.7	1.5	6.6	1.8	7.4	2	14.15x5.8x1.5			35.5	3	45°	36	3.6	6	2.5	EA	As Req
Seal Outer Diameter (D) mm	Seal Inner Diameter (D) mm	Angle																												
13	1.5	Standard																												
22	3																													
3.7	1.8																													
3.7	1.5																													
6.6	1.8																													
7.4	2																													
14.15x5.8x1.5																														
35.5	3	45°																												
36	3.6																													
6	2.5																													