

PAKISTAN AERONAUTICAL COMPLEX, KAMRA MIRAGE REBUILD FACTORY

TENDER NOTICE NO MRF/19-20/23 DATED 04 MAR, 2020

1. Mirage Rebuild Factory, Pakistan Aeronautical Complex Board Kamra invites sealed bids from the Original manufacturer / authorized distributors / suppliers / contractor registered with Income Tax and Sales Tax Department and PACB registered for supply of following miscellaneous items on F.O.R Basis (Professional Tax certificate, Punjab is mandatory). Details of requirements is as follows:-

“ELECTRIC TRANSPORTER, ROTARY SLASHER. SPECIAL FACE MASK N-95 ,FACE MASK”

2. List of items can be downloaded from PPRA website www.ppra.org.pk and PACB website www.pac.org.pk .or can be collected free of cost from Dte of Log (LP Section) MRF PAC Kamra Distt Attock from 05-03-2020 during working hours (except holidays).

3. The quotations, prepared in accordance with the instruction in the Tender List, must reach at Mirage Rebuild Factory PACB Kamra **before 19-02-2020 at 1000 Hrs. Quotations will be opened on the same day at 1100 Hrs.**

**DIRECTOR LOGISTICS
MRF PACB KAMRA
DISTT ATTOCK**

**Directorate of Logistics MRF, PAC Kamra
Contact No. 051-90994727,4414
Fax No. 057-9317412**



PAKISTAN AERONAUTICAL COMPLEX
A SYMBOL OF EXCELLENCE IN AVIATION
www.pac.org.pk



**LIST OF OPEN TENDER NO MRF/19-20/23
DATED 04-03-2020 OPENING DATE 19-03-2020**

S NO	PART NO	NOUN	U/I	Qty	SPECIFICATION
1	HS4	ELECTRIC TRANSPORTER	EA	As Req	Specs attached at the end of Tender list.
2	5290PK0001468	ROTARY SLASHER	EA	As Req	(1) Cutting width: 6-8 feet(approx). (2) Tractor driven suitable for P.T.O 540 rpm. (3) Reversible cutting blades for cutting of wild grass, shrubs,weeds etc. (4) Height adjustment : 25mm to 200mm. (5) Safety chain shield standard. (6) Heavy duty two cutter blades moveable. (7) Heavy duty Gear Box operated with P.T.O shaft. Maximum warranty is required.
3	5350PK0860006	FACE MASK	EA	As Req	Required to prevent Corona virus
4	5350PK0860007	SPECIAL FACE MASK N-95	EA	As Req	Required to prevent Corona virus

TERMS & CONDITIONS:-

- (i) GST may be indicated separately. The envelopes must be marked with "Item's name and Commercial / Technical offer". Literature / brochures of equipment must be attached with technical offer.
- (ii) Quotations must be submitted in two copies for single line item i.e. one copy with technical details without price and one copy as commercial offer in one envelopes (no quotation will be accepted if it contains more than 01 item in a single quotation)
- (iii) Validity period should not be less than 90-120 days.
- (iv) Complete technical specifications, MSDS, OEM & Conformance Certificate, Calibration certificate, Fitness report where applicable are required. Sample of chemicals may be asked for test.
- (v) 05 % earnest money required in shape of CDR/BG.
- (vi) Quotation received after due date / time will not be entertained. The CFA reserves the right to accept / reject the part or whole tender.
- (vii) Professional Tax certificate, Punjab
- (vii) Quantity can be increased / decreased at the time of order as per our requirement.

**Directorate of Logistics MRF, PAC Kamra
Contact No. 051-90994727 & 4414,**



SPECIFICATIONS OF ELECTRIC TRANSPORTER

S No	Noun	Tolerance	M.U	Specification
1	Power Unit			Electric
2	Frame made of			Steel
3	Frame treatment			Polyster Powder Coating
4	Handarm Vibration		m/s ²	<2.5
5	Noise level at operato's ears		dB	<70
6	Maximum forward speed	± 5%	Km/h	5 to 7
7	Maximum backward speed	± 5%	Km/h	4 to 6
8	Max load capacity on flat ground		Kg	600 to 700
9	Max slop with load		%	30 to 35%
10	Stopping distance in deceleration (without load)	± 10%	M	1.1
11	Battery Voltage		V	12
12	Nominal Capacity K5		Ah	40 to 50
13	Weight of each Battery		Kg	20 to 25
14	Standard Voltage		V	220/240
15	Plug			In use in the country of destination
16	Battery charger			External High Frequency
17	Input Voltage		Hz	225 to 230
18	Input Frequency		Hz	50 to 60
19	Battery Charger Capacity		Ah	12
20	Power Consumption during complete charge cycle		KWh	2
21	Operating Temperature		C	-20/+40
22	Input Fuse		A	5
23	Width		mm	90 to 100
24	Length		mm	180 to 190
25	Height		mm	50 to 60
26	Engine			Electric
27	Electricity			Direct Current



PAKISTAN AERONAUTICAL COMPLEX
 3 A SYMBOL OF EXCELLENCE IN AVIATION

www.pac.org.pk

