

FROM : APF PAC KAMRA  
FAX NO.051-9225514

TO : PUBLIC PROCUREMENT  
REGULATORY AUTHORITY  
(CABINET DIVISION)  
FBC BUILDING SECTOR G-5/2 ISLAMABAD.  
FAX NO. 051-9219149/9224823

REF : APF/1920/42/LOG/PC-28-29-30-31-32

DATED 20 OCTOBER, 2020

## UPLOADING OF TENDER ON PPRA WEB SITE

KINDLY UPLOAD THE UNDERMENTIONED TENDER NOTICE ON PPRA WEB SITE AND FORWARD BILL ALONGWITH TS NO FOR OUR FURTHER NECESSARY ACTION.

### OPEN TENDER NOTICE

1. TECHNICAL AND COMMERCIAL OFFERS FOR THE PURCHASE OF UNDERMENTIONED ITEMS MAY BE SUBMITTED IN **SEPARATE SEALED ENVELOPES** TO THE FOLLOWING FACTORY ADDRESS.

### AVIONICS PRODUCTION FACTORY PAC BOARD KAMRA DISTT ATTOCK

**NOTE: - SUBMIT SEPARATE QUOTATION FOR EACH PART CASE**

APF/1920/42/LOG/ECS/PC-28					Tel Ext; 6351
S NO	PART NO	NOUN	U/I	QTY	SPECIFICATION
1	4130PK0002485	CONDENSOR FOR PAR RADAR AC	EA	01	LENGTH; 42" WIDTH ; 2" COIL ; 22 SWG
2	4120PK0002488	CASING FOR PAR AC	EA	01	LENGTH ; 42" WIDTH ; 42" HEIGHT; 33"
3	4120PK0002486	POWER PANEL 380V,220V,24VDC	EA	01	MAIN CIRCUIT BREAKER, MAGNETIC CONTACTOR 3 PHASE' OVER LOAD RELAY 3 PHASE, CIRCUIT BREAKER, TIMMER RELAY.

4	4120PK0002487	ACCMULATOR FOR 04TON AC	EA	01	<b>LENGTH ; 42"</b> <b>DIA ; 6"</b> <b>HEIGHT ; 22"</b>
5	4120PK0002484	COMPRESSOR 3 PHASE 1500W	EA	01	SCROLL TYPE 380V GAS R 407C,
<b>APF/1920/42/LOG/CAF/PC-29 Tel Ext; 6890</b>					
1	BM6.430.073	CW ANTENA REDOME	EA	50	<b>Nomenclature;</b> CW Antenna Radome <b>Part No ;</b> BM6.430.073 <b>Dimension ;</b> $\Phi$ 66mm X 25mm <b>Frequency Of Range CW Antenna ;</b> 6~12 GHz <b>VSWR Of CW Antenna ;</b> $\leq$ 3.5 <b>Paint on CW Antenna Radome ;</b> Poly Urethane (Black/Grey) <b>Note; Sample Of CW Antenna Radome may be obtained from CAF DTE (APF).</b>
2	BM6.430.072	DF ANTENA REDOME	EA	50	<b>Nomenclature;</b> DF Antenna Radome <b>Part No;</b> BM6.430.072 <b>Dimention;</b> $\Phi$ 66mm x 70mm <b>Frequency Range of DF Antenna;</b> 2~ 18 GHz <b>VSWR of DF Antenna with Radome;</b> $\leq$ 3.5 <b>Paint on DF Antenna Radome;</b> Poly Urethane (Black/Grey) <b>Note; Sample Of CW Antenna Radome may be obtained from CAF DTE (APF).</b>
<b>APF/1920/42/LOG/CAF/PC-30 Tel Ext; 6206</b>					
1	R143.273.700	FLANGE MOUNT SOLDER TYPE TNC CONNECTOR	EA	10	STRAIGHT JACK SOLDER TYPE CABLE RG 402

**APF/1920/42/LOG/CAF/PC-31 Tel Ext; 6890**

1	HG1214AFCS-3	AUTO IRIS LENS 12MM	EA	15	<p><b>Noun:-</b> Auto IRIS LENS 12MM  <b>Part no:-</b> Hg1214afcs-3  <b>Input:-</b> 12 Vdc  <b>Focal length:-</b> 12mm  <b>Mount:-</b> Cs-Mount  <b>Operation range iris f1.4:-</b> f 360C  <b>Control iris:-</b> video Auto Iris  <b>Focus:-</b> Manual  <b>Dimensions:-</b> Φ32mmx39.8mmx33mm  <b>Supply voltage:-</b> Dc8v-Dc16v  <b>Current:-</b> less than 35mA  <b>Operating Temperature:-</b> -20°C to +50°C</p>						
2	NTCM-SW-006	APEM SWITCH	EA	05	<p><b>Noun:-</b> APEM SWITCH  <b>Part no:-</b> NTCM-SW-006  <b>Basic part no:-</b> 12144x778  High Performance Toggle Switches Threaded Bushing φ11.9mm  <b>Solder Lug Terminal:</b> - Double Pole</p> <p><b>Angle Of Throw (A):-</b> 20°  <b>Position:-</b> <table style="display: inline-table; vertical-align: middle;"> <tr> <td align="center">i</td> <td align="center">ii</td> <td align="center">iii</td> </tr> <tr> <td align="center">ON</td> <td align="center">ON</td> <td align="center">ON</td> </tr> </table> </p> <p>Max Current / Voltage Rating With Resistive Load:-4 A 28 VDC  <b>Minimum Load:-</b> 10mA 50mV:10 μA 5 VDC  <b>Initial Contact Resistance:-</b> 10 m Ω max  <b>Operating Temperature:-</b> -40 °C to +85°C (-40°F to +185 °F)</p>	i	ii	iii	ON	ON	ON
i	ii	iii									
ON	ON	ON									

**APF/1920/42/LOG/FAR/PC-32 Tel Ext; 6206**

1	RLR20C1202GS	RESISTER (TH) 12KOHM 1/2 W2%	EA	30	RESISTER (TH) 12KOHM 1/2 W2%
2	7800302GA	IC 8 PIN ROUND METALIC THT	EA	06	MONOLYTHIC OPS AMPLIFIRE 4 MHz, VOLTAGE SWING= +-35 VOLT ROUND METALIC CASE THT

**TERMS AND CONDITIONS:-**

2. GENERAL TERMS AND CONDITIONS ARE MENTIONED IN TENDER FORM (APF/ LG-7). TENDER FORM AND COMPLETE DETAILS / SPECIFICATIONS OF ITEMS, IF REQUIRED CAN BE OBTAINED FROM CONTACT NO 051-90996206 ON ANY WORKING DAY BEFORE OPENING OF TENDER.

3. THE FIRM MUST BE GST AND PROFESSIONAL TAX REGISTERED HAVING NTN.

**NOTE:-**

**INTERESTED FIRMS ARE TO DEPOSIT BID SECURITY @ 5% OF QUOTE (NOT EXCEEDING 0.150 M) IN FAVOUR OF MD APF IN THE FORM OF CDR / PAY ORDER / DEMAND DRAFT ONLY WITH**

**QUOTATION. WITHOUT BID SECURITY NO QUOTATION WILL BE CONSIDERED. CROSS CHEQUE WILL NOT BE ACCEPTED.**

4. TECHNICAL AND COMMERCIAL OFFERS OF ABOVE MENTIONED ITEMS MAY BE SUBMITTED IN SEALED SEPARATE ENVELOPES IN **TENDER BOX NO. 02** PLACED AT MAIN GUARD ROOM APF.
5. LAST DATE FOR SUBMISSION OF TENDERS IS **10 NOVEMBER, 2020** BEFORE **1100 HRS.**
6. THE TENDERS WILL BE OPENED ON THE SAME DAY AT **1130 HRS** IN THE OFFICE OF ASSTT DIR LOG (S&A), APF, PAC, KAMRA.
7. PAYMENT WILL BE SUBJECT TO THE ACCEPTANCE OF ITEMS BY THE USER AND QUALITY DIRECTORATE.
8. **FIRMS HAVING THE CAPABILITY TO PROVIDE ABOVE MENTIONED ITEMS AS PER GIVEN SPECIFICATION ARE TO QUOTE SEPARATE FOR EACH PART CASE.**
9. INTERESTED FIRMS ARE TO QUOTE AS PER SPECIFICATION / TECHNICAL DATA ALONG WITH TECHNICAL QUOTATIONS.
10. ONLY REGISTERED SUPPLIERS, WHO ARE ON ACTIVE TAXPAYERS LIST ARE TO PROVIDE DOCUMENTARY PROOF AND QUOTE ABOVE MENTIONED ITEMS.
11. THIS FACTORY RESERVES THE RIGHT TO REJECT ANY QUOTATION ON TECHNICAL GROUNDS.
12. QUOTATION MUST BE VALID FOR MINIMUM **90 DAYS.**
13. PERCENTAGE OF SALES TAX AS APPLICABLE MUST BE MENTIONED SEPARATELY.
14. GUARANTEE / WARRANTY TERMS AND DELIVERY PERIOD SHOULD BE MENTIONED SEPERATELY.
15. SPECIFICATIONS / TECHNICAL DETAILS MUST CLEARLY BE MENTIONED IN TECHNICAL QUOTATION.

**(ABDUL WAJID NAZEER)**  
SQUADRON LEADER  
FOR MANAGING DIRECTOR  
APF PAC KAMRA  
TEL EXT: 051-9099-6292