

## FAX MESSAGE

FROM : APF PAC KAMRA  
FAX NO.051-9225514

TO : PUBLIC PROCUREMENT  
REGULATORY AUTHORITY  
(CABINET DIVISION)  
FBC BUILDING SECTOR G-5/2 ISLAMABAD.  
FAX NO. 051-9219149/9224823

REF : APF/1920/42/LOG/PC-36-37-38-39-40-41-42 DATED 05 NOVEMBER, 2020

### UPLOADING OF TENDER ON PPRA WEB SITE

KINDLY UPLOAD THE UNDERMENTIONED TENDER NOTICE ON PPRA WEB SITE AND FORWARD BILL ALONGWITH TS NO FOR OUR FURTHER NECESSARY ACTION.

#### OPEN TENDER NOTICE

1. TECHNICAL AND COMMERCIAL OFFERS FOR THE PURCHASE / REPAIR OF UNDERMENTIONED ITEMS MAY BE SUBMITTED IN **SEPARATE SEALED ENVELOPES** TO THE FOLLOWING FACTORY ADDRESS.



#### AVIONICS PRODUCTION FACTORY PAC BOARD KAMRA DISTT ATTOCK

**NOTE: - SUBMIT SEPARATE QUOTATION FOR EACH PART CASE**

LOCAL PURCHASE CASE NO APF/1920/42/LOG/ARC/PC-36 Tel Ext; 6420					
S NO	PART NO	NOUN	U/I	QTY	SPECIFICATION
1	GA-8IPE1000-PRO-G	MOTHER BOARD	EA	01	INTERNAL I/O CONNECTOR 2X SERIAL SATA PORT, 2X IEEE 1394 CONNECTOR, 2X ULTRA DMA, PROCESSOR SOCKET 478
2	SMJ320C25FDM	DIGITAL SIGNAL PROCESSOR	EA	02	SIGNAL 5V SUPPLY, 68 PINS LEADLESS CERAMIC CHIP CARRIER (FD SUFFIX) TEMP -55 TO +125C
3	LR210	AIR PURIFICATION 3 IN 1 EPA FILTER SYSTEM	EA	01	SPECIFICATION CAN BE OBTAINED FROM DTE OF ARC ON TELE EXT:051-90996232

**FAX MESSAGE**

**LOCAL PURCHASE CASE NO APF/1920/42/LOG/ARC/PC-37 Tel Ext; 6420**

1	WS19-K2-22K	BIT SWITCH 22 KOHM	EA	5	<b>Electrical Characteristic</b>	
					Standard Resistance Range	22KΩ
					Resistance Tolerance	± 10%
					Contact Resistance variation	≤ 5%
					Power Rating	1 watt
					Operating Noise	≤ 68mV
					<b>Environmental Characteristic</b>	
					Temperature Range	-50°C to +125°C
					Vibration	15G
					Shock	100G
					Rotational Life	10000 cycles
					<b>Mechanical Characteristic</b>	
					Position	PUSH / PULL
					Total Mechanical Travel	0 to 270°
					<p align="center"><b>PUSH POSITION</b></p>  <p align="center"><b>PULL POSITION</b></p> 	

**FAX MESSAGE**

2	MGG1039-00	BULB 28 VDC	EA	83	<b>Electrical Characteristic</b>	
					Standard Resistance Range	200 to 300 Ω
					Standard Size	Small
					Resistance Tolerance	± 10%
					Power Rating	28 volt DC
					<b>Environmental Characteristic</b>	
					Temperature Range	-50°C to +125°C
					Shock	100G
3	1C8.060.030	FRONT PANEL ASSY	EA	1	<b>Electrical Characteristic</b>	
					Standard Length	13 CM
					Standard width	10 CM
					Power Rating	28 volt DC
					<b>Environmental Characteristic</b>	
					Temperature Range	-50°C to +125°C
Shock	100G					
<b>LOCAL PURCHASE CASE NO APF/1920/42/LOG/PC-38 Tel Ext; 6295</b>						
1	33C/PAF-51	PLASTIC POLISH	BT	129	<b>KIWI 250 ML OR EQUIVALENT</b>	
2	33C/1205	GLINT	BT	147	<b>500 ML GLASS CLEANER BY PERIDOT PRODUCT (PVT) LTD OR EQUIVALENT</b>	
<b>LOCAL REPAIR CASE NO APF/1920/42/LOG/PMEL/PC-39 Tel Ext; 6469</b>						
1	ISO/IEC17025-(PT/ILC-PROGRAM-I)	PT/ILC services for Cal of DMM (6-1/2 digit) from ISO/IEC 17043 certified PT provider	EA	01	Proficiency Testing (PT)/ Inter Lab Comparison (ILC) services for calibration of DMM (6-1/2 digit) from PT provider that meet the requirement of ISO/IEC 17043.	

## FAX MESSAGE

LOCAL PURCHASE CASE NO APF/1920/42/LOG/PAC COMM/PC-40 Tel Ext; 2500					
1	GXT4-48VBATT	EXTENDED BATTERY CABINET FOR GXT4 1000VA, 48VDC	EA	01	SPECIFICATION CAN BE OBTAINED FROM PAC COMM FLT MRF.
2	EX2300-C-12T	ACCESS SWITCH 12 PORT (POE)	EA	01	SPECIFICATION CAN BE OBTAINED FROM PAC COMM FLT MRF.
3	EX2300-48P	ACCESS SWITCH 48 PORT (NON POE)	EA	01	SPECIFICATION CAN BE OBTAINED FROM PAC COMM FLT MRF.
4	EX-SFP-1GE-LX	1000 BASE-LX GIGA BIT ETHERNET	EA	10	SPECIFICATION CAN BE OBTAINED FROM PAC COMM FLT MRF.
5	EX2300-24T	ACCESS SWITCH 24 PORT (POE)	EA	01	SPECIFICATION CAN BE OBTAINED FROM PAC COMM FLT MRF.
6	GXT4-1000RT230	LIBERT GXT4 ONLINE 1000VA	EA	01	SPECIFICATION CAN BE OBTAINED FROM PAC COMM FLT MRF.
7	EX2300-48T	ACCESS SWITCH 48 PORT (POE)	EA	01	SPECIFICATION CAN BE OBTAINED FROM PAC COMM FLT MRF.
8	GXT4-3000RT230	LIBERT GXT4	EA	01	SPECIFICATION CAN BE OBTAINED FROM PAC COMM FLT MRF.
9	GXT4-72VBATT	EXTENDED BATTERY CABINET	EA	01	SPECIFICATION CAN BE OBTAINED FROM PAC COMM FLT MRF.
10	EX2300-24P	ACCESS SWITCH 24 PORT (NON POE)	EA	01	SPECIFICATION CAN BE OBTAINED FROM PAC COMM FLT MRF.
11	6145-68-900-0054	DROP WIRE	MR	5000	SPECIFICATION CAN BE OBTAINED FROM PAC COMM FLT MRF.
12	G657A	INDOOR DROP FIBER OPTIC CABLE	MR	2000	SPECIFICATION CAN BE OBTAINED FROM PAC COMM FLT MRF.
LOCAL REPAIR CASE NO APF/1920/42/LOG/ECS/PC-41 Tel Ext; 6351					
1	SHCHV3.350.005TU	ELECTRON BEAM TUBE	EA	01	SCOPE OF WORK 1. CHANGE OF FILAMENT 2. VACUUM OF TUBE
2	SHCHV3.350.005TU	ELECTRON BEAM TUBE	EA	01	1. CHANGE OF FILAMENT 2. VACUUM OF TUBE 3. REPAIR OF NECK
LOCAL REPAIR CASE NO APF/1920/43/LOG/SEC/PC-42 Tel Ext; 6275					
1	MH-M58	NIGHT VISION GOGGLES HELMET & RIFLE NV MONOCULAR	EA	01	SCOPE OF WORK CAN BE CHECKED FROM GROUND DEFENCE FLT, APF.
2	NSGN15000136EA1	NIGHT VISION GOGGLES N-15	EA	01	SCOPE OF WORK CAN BE CHECKED FROM GROUND DEFENCE FLT, APF.
3	1385999406443	NIGHT VISION GOGGLES	EA	01	SCOPE OF WORK CAN BE CHECKED FROM GROUND DEFENCE FLT, APF.

### TERMS AND CONDITIONS:-

2. GENERAL TERMS AND CONDITIONS ARE MENTIONED IN TENDER FORM (APF/ LG-7). TENDER FORM AND COMPLETE DETAILS / SPECIFICATIONS OF ITEMS, IF REQUIRED CAN BE OBTAINED FROM ABOVE MENTIONED CONTACT NOS ON ANY WORKING DAY BEFORE OPENING OF TENDER.

3. THE FIRM MUST BE GST AND PROFESSIONAL TAX REGISTERED HAVING NTN.

## FAX MESSAGE

### NOTE:-

INTERESTED FIRMS ARE TO DEPOSIT BID SECURITY @ 5% OF QUOTE (NOT EXCEEDING 0.150 M) IN FAVOUR OF MD APF IN THE FORM OF CDR / PAY ORDER / DEMAND DRAFT ONLY WITH QUOTATION. WITHOUT BID SECURITY NO QUOTATION WILL BE CONSIDERED. CROSS CHEQUE WILL NOT BE ACCEPTED.

4. TECHNICAL AND COMMERCIAL OFFERS OF ABOVE MENTIONED ITEMS MAY BE SUBMITTED IN SEALED ENVELOPES SEPARATE FOR EACH PART CASE IN **TENDER BOX NO. 02** PLACED AT MAIN GUARD ROOM APF.

5. LAST DATE FOR SUBMISSION OF TENDERS IS **25 NOVEMBER, 2020** BEFORE **1100 HRS.**

6. THE TENDERS WILL BE OPENED ON THE SAME DAY AT **1130 HRS** IN THE OFFICE OF ASSTT DIR LOG (S&A), APF, PAC, KAMRA.

7. PAYMENT WILL BE SUBJECT TO THE ACCEPTANCE OF ITEMS BY THE USER AND QUALITY DIRECTORATE.

8. **FIRMS HAVING THE CAPABILITY TO PROVIDE / REPAIR ABOVE MENTIONED ITEMS AS PER GIVEN SPECIFICATION AND SCOPE OF WORK ARE TO QUOTE SEPARATE FOR EACH PART CASE.**

9. INTERESTED FIRMS ARE TO QUOTE AS PER SCOPE OF WORK AND SPECIFICATION / TECHNICAL DATA ALONG WITH TECHNICAL QUOTATIONS.

10. ONLY REGISTERED SUPPLIERS, WHO ARE ON ACTIVE TAXPAYERS LIST ARE TO PROVIDE DOCUMENTARY PROOF AND QUOTE ABOVE MENTIONED ITEMS.

11. THIS FACTORY RESERVES THE RIGHT TO REJECT ANY QUOTATION ON TECHNICAL GROUNDS.

12. QUOTATION MUST BE VALID FOR MINIMUM **90 DAYS.**

13. PERCENTAGE OF SALES TAX AS APPLICABLE MUST BE MENTIONED SEPARATELY.

14. GUARANTEE / WARRANTY TERMS AND DELIVERY PERIOD SHOULD BE MENTIONED SEPERATELY.

15. SPECIFICATIONS / TECHNICAL DETAILS MUST CLEARLY BE MENTIONED IN TECHNICAL QUOTATION.

**(ABDUL WAJID NAZEER)**  
SQUADRON LEADER  
FOR MANAGING DIRECTOR  
APF PAC KAMRA  
TEL EXT: 051-9099-6292