

AVIONICS PRODUCTION FACTORY

TENDER NOTICE NO: APF/1920/42/LOG/PC-44

DATED 29 DECEMBER, 2020

1. SEALED TENDERS FROM PAC BOARD REGISTERED FIRM FOR PURCHASE OF UNDERMENTIONED ITEM IS INVITED.

SNO	PART NO	NOUN	U/I	QTY	SPECIFICATION
1	WSF128K16-37G1UM	IC 68PIN FLASH MEMORY/SRAM SMD	EA	4	128KX16 SRAM / FLASH MODULE 68 PIN IC QUAD SMD
2	WSF128K16-37G2M5	"IC (MEMORY) FLASH MEMORY, STATIC RAM, 68 PIN	EA	4	FLASH MEMORY, STATIC RAM, 68 PIN
3	MI-J60-MY	POWER SUPPLY 5VDC	EA	3	I/P 270 VDC, 75 WATT, O/P 5VDC, 50 WATT
4	M1-J62-MY	POWER-SUPPLY 15V	EA	7	I/P 270 VDC, 75 WATT, O/P 15VDC, 50 WATT
5	M55302/121-01	CONNECTOR 128 PIN MALE D TYPE	EA	8	128 PIN MALE D TYPE
6	1500203000	HELI COIL M3 INSERTER KIT	KT	02	HELI COIL M3 INSERTER KIT (05 ITEMS) MATRIC SIZE 30 HELI COILS.01 M3 HELI COIL INSTALL HANDLE, 01 ST TAP, 01 BREAK AND 01 DRILL. TOOL USED FOR HELI COILS INSERTION IN SRUS & LRUS
7	1500204000	HELI COIL M4 INSERTER KIT	KT	02	HELI COIL M4 INSERTER KIT (05 ITEMS) MATRIC SIZE 30 HELI COILS.01 M4 HELI COIL INSTALL HANDLE, 01 ST TAP, 01 BREAK AND 01 DRILL. TOOL USED FOR HELI COILS INSERTION IN SRUS & LRUS
8	TURMOFLUID-20B9	HIGH TEMPERATURE OIL	LR	05	HIGH TEMPERATURE OIL OPERATING RANGE -20~300 C°. COLOUR YELLOWISH/TRANSPARENT DENSITY +20C° 0.975
9	SP26HG08	GREASE TUBLERSYNTH BEM 34-32 400GM	TB	02	KLUBLERSYNTH BEM 34-32 SMOOTH-RUNNING GREASE FOR TEMPERATURE RANGE -40~130C°



10	10411589	ACHROMATIC OBJECTIVE 1.0X	EA	04	LEICA 1.0X OBJECTIVE MICROSCOPE LENS
11	7800302GA	IC 8 PIN ROUND METALIC THT	EA	6	MONOLY THIC OPS AMPLIFIRE 4Mhz, VOLTAGE SWING= +-35VOLT ROUND METALIC CASE THT
12	745800	UHU ADHESSIVE (Tube 2X15ML EA)	TU	41	UHU PLUS ENDFEST 300 KG 18G+15G/2X15ML E 2 COMPONENT EPOXY TYPE MATERIAL (MADE IN GERMANY)

TENDER NOTICE NO: APF/1920/42/LOG/PC-45

SNO	PART NO	NOUN	U/I	QTY	SPECIFICATION
1	L14408	SINGLE GANG POTMETER 10K	EA	30	VALUE=10K,389 SERIES, BUSHING (DIA=3.8') L=6.00M, EXCLUDING SHAFT LENGTH IS 3.35MM, AFFECTIVE ROTATION (225+10 DEGREE, -5 WITH SWITCH), SWITCH MODULE (AJ ROTARY SPDT-CCW)
2	AQY272A	MOSFET RELAY 2A 60 VLOT	EA	300	MAX LOAD CURRENT 2A, VOLTAGE 60VOLT, OPR TEMP -40C TO 85C
3	5840PK0002042	SPACER SET OF ICB (22 PCS)	EA	10	GROUP A 3QTY) L=5.6MM H=40MM (GROUP B 2QTY) L=5.5MM H=9MM (GROUP C 11QTY)L=5.5MM H15MM (GROUP D 6QTY) L= 5.5MM H=29.5MM
4	L27839	CONCENTRIC DUAL SHAFT POTMETER 10K OHM	EA	15	BUSH DIA FOR PANEL MOUNTING=9.5MM, OUTER SHAFT DIA=6.4MM. INNER SHAFT DIA=3.2MM, SOLDER PIN WILL BE AT 12O, CLOCK, POTMETER RESISTANCE=10K OHM

Note:- Items should be in Mouser and Digikey Packing

2. TECHNICAL AND COMMERCIAL OFFERS FOR PURCHASE OF ABOVE MENTIONED ITEM MAY BE SUBMITTED IN SEALED ENVELOPES TO **PUBLIC FUND ACCOUNT APF PAC**



PAKISTAN AERONAUTICAL COMPLEX
A SYMBOL OF EXCELLENCE IN AVIATION



www.pac.org.pk

KAMRA ON “FOR” BASIS AND MAY BE DROPPED IN TENDER BOX NO. 02 PLACED AT MAIN GUARD ROOM APF BEFORE 1100 HRS ON 14 JANUARY 2021. VALIDITY PERIOD OF QUOTATION MUST BE 120 DAYS MINIMUM AND WILL BE OPENED ON THE SAME DAY AT 1130 HRS IN THE OFFICE OF DEPUTY DIR LOG (S&A), APF, PAC KAMRA. EDD (EXPECTED DELIVERY DATE) MUST BE MARKED ON EACH QUOTATION. THIS FACTORY RESERVES THE RIGHT TO REJECT ANY QUOTATION ON TECHNICAL GROUNDS. ONLY REGISTERED SUPPLIERS, WHO ARE ON ACTIVE TAXPAYERS LIST OF FBR ARE TO QUOTE AND SUBMIT DOCUMENTARY PROOF ALONGWITH TECHNICAL QUOTATIONS. THE ENVELOPE MUST CLEARLY MENTION “**TENDER INQUIRY REF NO**” TO **DIRECTOR LOGISTICS APF**. FURTHER DETAILS IF REQUIRED MAY BE OBTAINED FROM CONTACT NO.051-90996298-6206 OR ON FAX NO.051-9225514 OR VISIT PAC WEBSITE www.pac.org.pk.

(ABDUL WAJID NAZEER)
SQUADRON LEADER
FOR MANAGING DIRECTOR
APF PAC KAMRA
TEL EXT: 6292

Directorate of Logistic, APF, PAC Kamra



PAKISTAN AERONAUTICAL COMPLEX
A SYMBOL OF EXCELLENCE IN AVIATION

www.pac.org.pk

