

OPENING ON 27-10-2020				
ARF/1169/T/PC-06/LOG DATED 08-10-2020				
Organization Name	Pakistan Aeronautical Complex			
Address	AIRCRAFT REBUILD FACTORY PAC			
City	Kamra			
Tel No.	051-90992442			
Terms & Conditions	<p>1. Quotations will be opened on 27 October, 2020 at 11:00 Hrs by the committee in the presence of the interested bidders, or their authorized representatives.</p> <p>2. Quotation must be typed. Hand written / Conditional quotation will not be accepted.</p> <p>3. Separate sealed technical quotes and Commercial quotes both must be deposited in 2 separate envelopes. Rates should be quoted both in words and figures clearly at commercial quotes with unit price.</p> <p>4. All quotations (Category wise) must be put in separate sealed envelope. There should be no mixing of rates and quotations (Technical quotations with Commercial quotations). More than one quotation in one envelop will be rejected.</p> <p>5. Income tax, sales tax and professional tax certificates duly attested by the concerned authority must be attached with quotations.</p> <p>6. All the rates must be valid till 30 June, 2021 otherwise quotation will not be entertained. Taxes will be imposed as per GOVT: policy and directive issued from time to time.</p> <p>7. All chemicals should be provided with COC (Certificate of Conformance), MSDS (Material Safety Data Sheet) and TDS (Technical Data Sheet) and within expiry life of minimum 02 Years.</p> <p>8. The bidder must have a branch office with valid Telephone and fax facility.</p> <p>9. Sample where applicable has to be provided by the firm for technical vetting.</p> <p>10. Category wise list is available in the office of O i/c Local Purchase and can be collected during working days from 0900-1200 hours.</p> <p>11. The quantities are estimated and may increase/decrease with respect to the requirements.</p> <p>12. The procuring agency may reject all bids/proposals or bid/proposal pertaining to a specific supplier at any time prior to tender opening. The procuring agency upon request of supplier / Vendor / Contractor will communicate the reason for rejection of quotations.</p> <p>13. Payment on delivery will be made through cheque against sales tax invoice only.</p> <p>14. Tenders are to be addressed to Director Logistics, Aircraft Rebuild Factory PAC Kamra. The quoted prices must be without GST and envelope must be marked with "TENDER FOR PROCUREMENT of "Category-1 to Category-18"". Tenders received through fax shall not be accepted.</p> <p>15. Firms not registered with PAC Board shall deposit 5% earnest money along with the quotation.</p> <p>16. Delivery must be made as per quotation after receipt of purchase order.</p> <p>17. Firm should be on ATL of FBR and will provide proof with quotation. Order should be placed and subsequently payment would be released to the firm which is on ATL of FBR</p>			
Closing Time	10:30:00 am			
Opening Time	11:00:00 am			
Bid Validity	30/06/2021			
Remarks	ARF PAC KAMRA			
CATEGORY-01 WIDS				
S No	Part No	Noun	U/I	Qty
1	GYT0312	TAP TORSION CHUCK SIZES- (M3, M4, M5, M6, M10, M12, M14 & M16 COMPATIBLE WITH SEMI AUTOMATIC TAPPING MACHINE MANUFACTUREER -ORBLTALUM OR EQUEVALANT	EA	A/R
2	201530176922-3	SEMI AUTOMATIC PRECISION TAPPING MACHINE WITH COLLET SET (DIGITAL PROGRAMMABLE) WITH COUPLER TORQUE CHUCK SERVO HYDRAULIC PROGRAMMABLE ARM 3-13-SHPA-19 INPUT VOLTAGE - 220VAC (SINGLE PHASE) FREQUENCY - 50Hz (THE DEVICE MUST HAVE GOOD GROUNDING) MANUFACTUREER -ORBLTALUM OR EQUEVALANT	EA	A/R

CATEGORY-02 FIRE FLIGHT				
2	4210-68-900-0013	DCP FIRE EXT 2KG	EA	A/R
3	4210-68-900-0048	CO2 12 lbs FIRE EXT	EA	A/R
CATEGORY-03 SUPP METAL SHOP				
1	4710-68-900-0291	AA 7075-T6 PLATE L500XW450XTH100	EA	A/R
2	9515-68-900-0213	SHEET T8A THK-5MM L-180MM W-50MM	EA	A/R
3	9515-68-900-0214	30CRMNSIA STEEL SHEET THK 1.6MM	EA	A/R
4	9515-68-900-0221	LY12M-4MM ALUM SHEET 4x500x800	EA	A/R
5	9515-68-900-0219	T3-0.35MM COPPER SHEET	KG	A/R
CATEGORY-04 BATTERY CHARGING SHOP				
1	77-03-0008	BATTERY 6V 185 AMP	EA	A/R
CATEGORY-05 H & ST SHOP				
1	6650-68-900-0034	BORE SCOPE SCREEN TYPE 3.5 IN COLOR LCD SCREEN RASOLUTION 320 x240 PIX (QVGA) ROTAION 360° ROTAION PORT AV OUT TF CARD SLOT VIDEO REC RESOLUTION 640x480 PIX IMAGE CAP RESOLUTION 640x480 PIX MENU LANGUAGE : ENGLISH, FRENCH, SPANISH, CHINESE & PORTUGUESE CAMER DIAMETER 3 TO 5MM SHAFT DIAMETER 7MM SHAFT LENGTH 100 CM RESOLUTION 300K PIX VIEWING ANGLE 50° DEPTH OF FIELD 60MM-80MM LIGHT SOURCE 6 ADJUSTABLE HIGH-INTENSITY LEDS OPERATING TEMP 32° TO 113 OF (0° TO 45° c) POWER SOURCE : 18650 LITHIUM BATTERY BATTERY LIFE : 5-6 HRS CERTIFICATION : CE FCC USER MANUAL 100CM PROBE PICK UP HOCK AND MAGNET VIDEO OUT CABLE 150 CM USB DATA CABLE 75CM COLOR BOX	EA	A/R
CATERORY-06 PMC SHOP				
1	VASCO-7000	COOLANT (BLASER) FOR THS100	LTR	A/R
2	TEXAFLUID-903-TXC-15001218	REFRIGERATOR OIL	LTR	A/R

CATERORY-07 PYLON SHOP				
1	3417-68-900-0007	POWER SUPPLY 115V 400HZ	EA	A/R
2	WL33470	SOLDERING / DE SOLDERING STATION	EA	A/R
3	81-42416	TRESTON WORK BENCH	EA	A/R
CATERORY-08 PAC EOD CELL				
1	81-42386	TRESTON WORK BENCH WITH FULL ACCESSARIES 800x1800, Worktop Height adjustable by manual hexagonal key. Height adjustable by manual hexagonal key Hex Key load 250Kg Steel frame parts epoxy powder coated in light grey. Top adjustable 02 tube lights ESD Compliance.	EA	A/R
CATERORY-09 H & ST SHOP				
1	GDF-120/160	RECTIFIER Specifications:- Purpose:- Use for Electroplating process Input Voltage:- 400VAC +5% 3 Phase Origin:- Foreign/Local Frequency:- 50/60HZ Out Put Voltage:- 0~30 VCD Out Put Ampere:-0 0~300 Amp Power Factor:- 0.8 Rectification:- Full wave Ripple:- Not more than 5% Regulation:- +2% Control system:- Thyristors or latest system Cooling:- Main Transformer Air Cooled Control panel:- Portable (fitted near tanks) Encasing:- Fitted in metal case (corrosion protected) Protections:- (a) Short Circuit (b) Phase Failure (c) Under voltage (d) Over Voltage (e) Output Over current (f) Electronic short circuit Control Panel Devices:- (a) Output Digital DC volt meter (b) Output Digital DC Ampere meter (c) Start / Stop push buttons (d) Main power indication (e) Voltage/ ampere adjusment potentiometer (f) Constant Voltage / Ampere selection switch DC Cabling material:- Copper Publication:- Maintenance manual	EA	A/R
2	KGDJ300/3	RECTIFIER Specifications:- Purpose:- Use for Electroplating process Input Voltage:- 400VAC +5% 3 Phase Origin:- Foreign/Local Frequency:- 50/60HZ Out Put Voltage:- 0~15 VCD (Revisable) Out Put Ampere:- 0~3000 Amp (Double Polarity) Power Factor:- 0.8 Rectification:- Full wave Ripple:- Not more than 5% Regulation:- +2% Control system:- Thyristors or latest system Cooling:- Main Transformer Air Cooled Control panel:- Portable (fitted near tanks) Encasing:- Fitted in metal case (corrosion protected) Protections:- (a) Short Circuit (b) Phase Failure (c) Under voltage (d) Over Voltage (e) Output Over current (f) Electronic short circuit Control Panel Devices:- (a) Output Digital DC volt meter (b) Output Digital DC Ampere meter (c) Start / Stop push buttons (d) Main power indication (e) Voltage/ ampere adjusment potentiometer (f) Constant Voltage / Ampere selection switch DC Cabling material:- Copper Publication:- Maintenance manual	EA	A/R

CATEGORY-10 FTS JF-17 MRO				
1	1156845	CORDLESS DRILL (Dewalt) 18V	EA	A/R
2	7430-68-900-1006	Photocopier	EA	A/R
CATEGORY-11 INSTRUMENT SHOP				
1	RAM-SURF-1	SURFACE CONTIMINATION METER	EA	A/R
CATEGORY-12 DEPAINTSHOP				
1	AVN-1000	PAINT REMOVER	LT	A/R
CATEGORY-13 H & ST SHOP				
1	4710-68-900-089	Chrome Sheet 25 crom4	EA	A/R
CATEGORY-14 INST SHOP				
1	11-17544	WORK BENCH WITH THREE DRAWER UNIT	EA	A/R
CATEGORY-15 JF-17 MRO GOH				
1	BBG-002	NIGHT VISION DEVICE (GOGGLE) Magnification 10x25 Eye Width 52-74 Field of view 324 ft@1000yds Laser Wavelength 532nm Laser output 10mW Operating Current 260mA Operating Current 3V Brand Beileshi	EA	A/R
CATEGORY-16 INDIGENIZATION CELL				
1	3990-68-900-0094	Mobile Shelves Size 9 Ft x 2 ft x 8.5 ft Base of Mobile shelves is made of MS Cold rolled prime quality sheet 3mm thick sheet with casted wheel for moving underneath heavy heavy duty railing is fixed with bolts in the floor of the room. Upper structure of the mobile shelves is made of prime quality pipe 1"x2" and 1"x1" 18 Swg. Front and back wall of Mobile Shelves is made of prime quality pipe 1'x2' and 18swg. Provisioning of adjustable shelves on both sides of mobile shelves six equal compartments for maximum staorage. also provisioning of moveable handle in the front wall for move the mobile shelves easily. Provisioning of end closing sheet and doors with lock and keys.	EA	A/R

CATEGORY-17 HARNESS SHOP				
1	HB-F08	Rear Nut	EA	A/R
2	JY27496E09F35P	Plug	EA	A/R
3	JY27467T09F35S	Plug	EA	A/R
4	Q/611S-27-10	Capron Cloth	EA	A/R
5	JY27496e09f35p-1	Back Shell	EA	A/R
CATEGORY-18 MET CENTER				
1	6635-68-900-0033	X RAY NAGATIVE FILM D4 Pb10x24cm	Pkt	A/R
2	6635-68-900-0020	XRAY NAGATIV FILM D7Pb 10X40CM	Pkt	A/R